



Flooring Tools & Solutions™



Since 1992
2020 Edition 4



Flooring Tools & Solutions™

YOUR 1- STOP FLOORING SHOP



FLOORSHQ™ manufactures and distributes tools and flooring products under three core brands :-



“Best-in-class” quality chemical range of cleaners, sealers, strippers, maintenance & restoration products for stone, tiles and concrete.



Premium quality tool range for the preparation, application and installation of hard and soft floors.



High quality range of diamond products for the cutting, grinding and polishing of stone, tiles and concrete.

DO IT RIGHT™ - FIRST TIME

© Copyright FLOORSHQ™ & STONESHIELD 2020. All rights reserved.

What makes us different ? - We offer solutions

- With decades of practical installation experience and a specialist product and tool range we provide a 1- stop shop for product and service.
- We understand what we design, manufacture and sell.
- We know how to use the products we sell.
- We know what you need to install it – right first time.

At **Floors HQ** we don't sell products we sell "peace of mind".

Expertise in all facets of flooring, making sure that your purchase has been tried and tested and is fit for purpose.

With decades of hands-on practical field experience every product in the **Floors HQ** range has been meticulously designed and tested in-house to ensure that the raw materials, products, packaging and labels meet today's demanding standards.

We strive to produce the best quality tools and products at the best possible price to provide the best possible value.

At **Floors HQ** our brands stand for "best in class", offering detailed quality, superior performance, durability and value for money.

At **Floors HQ** our unique and specialised range of tools and products, specifically for floors, walls and more.

We cover tools and treatments for hard floors, soft floors, thick floors, thin floors and everything in between.

INDEX

COMPANY INTRODUCTION	3
STONESHIELD	
FLOORING PRODUCTS & SOLUTIONS	6
CLEANERS	7
SEALERS	10
STRIPPERS	15
MAINTENANCE & RESTORATION	16
SEALER SELECTION CHART	18
ROX® TOOLS	
FLOOR PREPARATION TOOLS	19
FLOOR GRINDERS	20
SCARIFIER & POWER STRIPPER	21
HAND-HELD POWER TOOLS	22
ROTARY SCRUBBER / POLISHER	23
DRY VACUUM CLEANERS	24
VACUUM CLEANERS & SPARES	25
FLOOR APPLICATION TOOLS	26
HANDHELD MIXERS	27
MIXING PADDLES / SPINDLES	28
SCREED MIXERS	29
MOISTURE METERS & CONCRETE REBOUND HAMMER	30
APPLICATION TOOLS	31
SPIKE ROLLERS	33
SPIKE ROLLERS & SPIKE SHOES	34
SQUEEGEES	35
EPOXY / URETHANE TROWELS & FLOATS	36
CARPET STRETCHERS & CARPET IRON	37
CARPET & VINYL TOOLS	38
CARPETING HAND TOOLS	39
VINYL ROLLERS	40
WELDY PLASTIC / VINYL WELDING TOOLS	41
WELDY NOZZLES FOR PLASTIC WELDING	42
TRIMMER & KNIVES	43
SCISSOR	44

UTILITY KNIVES	45
KNIVES & BLADES	46
SCRAPERS	47
HAND TOOLS	48
FINISHING TROWELS	49
POOL & FLOORING TROWELS	51
ADHESIVE TROWELS	52
TILING TROWELS	53
DRYWALL TROWELS	54
TILING & PLASTERING FLOATS	55
BUILDING / BRICK TROWELS	56
BUILDING TROWELS	57
PUTTY KNIVES & SCRAPERS	58
HAMMERS	59
HAMMERS & MALLETS	60
ALUMINIUM CAULKING GUNS	61
PAINTING TOOLS	62
PAINT ROLLERS	63
PAINT BRUSHES & ROLLERS	68
CONSUMABLES & PPE	69
FLOORING PADS & APPLICATORS	70
KNEE PADS & HARD HATS	71
RAZOR® BLADES	
DIAMOND PRODUCTS	72
DIAMOND CUTTING BLADES	73
GRINDING CUPS	75
PCD GRINDING CUPS & DISCS	76
DIAMOND GRINDING DISCS	77
DIAMOND POLISHING PADS - CONCRETE	80
DIAMOND POLISHING PADS - STONE	81
BACKING PADS & ADAPTOR PLATES	83
PARTNERING WITH YOU	84
DISPLAY STANDS	88
COPYRIGHT	91



STONE SHIELD



FLOORING PRODUCTS & SOLUTIONS™

CLEANING PRODUCTS

BRICK & MASONRY CLEANER



FEATURES

- Stoneshield Brick & Masonry Cleaner - is an inhibited acid-based cleaner for the removal of cement and mortar residues.
- An inhibited acid prevents attack and tarnish to metal surfaces.
- Contains emulsifying detergents to remove oils and grease.

USES

- For clay face bricks, clay paving bricks, natural stone, slate, terracotta, glazed and unglazed ceramics.
- Also suitable for etching concrete floors prior to coating.

Code	Description	Units
800/04/011	BRICK & MASONRY CLEANER	1 Litres
800/04/028	BRICK & MASONRY CLEANER	5 Litres
800/04/029	BRICK & MASONRY CLEANER	25 Litres

CERAMIC & PORCELAIN TILE CLEANER



FEATURES

- Stoneshield Ceramic & Porcelain Tile Cleaner is a concentrated detergent cleaner formulated for gentle everyday use.
- Use internally and externally to remove surface soiling and general dirt.
- Eliminates soap build-up and reduces hard water deposits.

USES

- Suitable for use on glazed and unglazed ceramics, polished and unpolished porcelain.

Code	Description	Units
800/04/066	CERAMIC & PORCELAIN TILE CLEANER	1 Litres
800/04/073	CERAMIC & PORCELAIN TILE CLEANER	5 Litres

DEEP-CLEAN™



FEATURES

- Stoneshield Deep-Clean™ is a concentrated heavy-duty degreasing cleaner and acid neutralizer, designed for use in indoor and outdoor areas; garages and areas subject to heavy traffic and use.

USES

- Effective on natural stone, marble, granite, travertine, limestone, slate, terrazzo, terracotta, bricks, cement tiles, concrete floors, glazed and unglazed ceramics.

Code	Description	Units
800/05/034	DEEP-CLEAN™	1 Litres
800/05/041	DEEP-CLEAN™	5 Litres
800/05/042	DEEP-CLEAN™	25 Litres

GROUT-LIFT™



FEATURES

- Stoneshield Grout-Lift™ is an inhibited acid-based cleaner for the removal of cement and grout residues.
- An inhibited acid prevents attack or tarnish to metal surfaces. Contains detergents to remove oils and grease.

USES

- On natural stone, slate, terracotta, bricks, porcelain, glazed and unglazed ceramics.

Code	Description	Units
800/05/058	GROUT-LIFT™	1 Litres
800/05/065	GROUT-LIFT™	5 Litres
800/05/066	GROUT-LIFT™	25 Litres

DAILY-CLEAN™



FEATURES

- Stoneshield Daily-Clean™ is a multi-surface cleaner for gentle everyday use.
- Use internally and externally to remove surface soiling and general dirt.
- Stoneshield Daily-Clean™ eliminates soap build-up and reduces hard water deposits.

USES

- Suitable for use on glazed and unglazed ceramics, porcelain, granite, marble, travertine, sandstone, slate and all sealed surfaces including natural stone, terracotta, quarry tiles, vinyl and cement tiles.

Code	Description	Units
800/08/024	DAILY-CLEAN™ (RTU)	500 ml
800/05/010	DAILY-CLEAN™	1 Litres
800/05/027	DAILY-CLEAN™	5 Litres
800/05/028	DAILY-CLEAN™	25 Litres

GRANITE COUNTERTOP CLEANER



FEATURES

- Stoneshield Granite Countertop Cleaner is a ready to use spray and wipe, granite countertop cleaner for everyday use.
- Fast and effective removal of grease, grime and general dirt.
- Cleans and disinfects in one easy step.

USES

- Suitable for use on all granite and natural stone surfaces.

Code	Description	Units
800/07/018	GRANITE COUNTERTOP CLEANER (RTU)	500 ml

GROUT-CLEANER



FEATURES

- Stoneshield Grout-Cleaner is a ready to use non-acidic cleaner designed for regular use on grout joints.
- Stoneshield Grout-Cleaner eliminates soap build up and reduces hard water deposits.

USES

- For the removal of grease, grime, mould and mildew, soap deposits and dirt from grout joints. Use internally and externally.

Code	Description	Units
800/07/001	GROUT-CLEANER (RTU)	500 ml
800/07/049	GROUT-CLEANER	5 Litres

MOULD-X™ MOULD & MILDEW CLEANER



FEATURES

- Stoneshield Mould-X™ is a specially formulated fast acting cleaner for the removal of mould and mildew, black stains and algae.
- Regular use prevents the re-growth of mould and mildew. Cleans and disinfects all in one.

USES

- Use internally on ceramic, porcelain and enamel surfaces; tiles and tile grout in bathrooms and showers.
- Use externally on bricks, walls, paving, floor and roof tiles.
- Use undiluted as supplied.

Code	Description	Units
800/06/033	MOULD-X™ (RTU)	500 ml
800/06/040	MOULD-X™	5 Litres

CLEANING PRODUCTS

RUST-X™



FEATURES

- Stoneshield Rust-X™ is an acid-based gel cleaner designed for the removal of red soil stains, rust, air and carbon pollution, oxidization, mould and mildew stains. Safer than conventional acid-based cleaners.

USES

- Suitable for use on unpolished and acid resistant natural stone, unsealed concrete and masonry surfaces, terracotta and quarry tiles.
- For use on walls and floors.

Code	Description	Units
800/07/056	RUST-X™	1 Litres
800/07/063	RUST-X™	5 Litres

X-TREME-CLEAN™



FEATURES

- Stoneshield X-Treme-Clean™ is a water-based biodegradable non-scratching abrasive cream cleaner designed to remove factory applied waxes, light grout residue, rubber and pencil marks and ingrained dirt from textured and difficult to clean surfaces.

USES

- Suitable for use on textured ceramics, polished and unpolished porcelain tiles and natural stone.

Code	Description	Units
800/07/070	X-TREME-CLEAN™	1 Litres
800/07/087	X-TREME-CLEAN™	5 Litres
800/07/088	X-TREME-CLEAN™	25 Litres

STAINLESS STEEL CLEANER



FEATURES

- Stoneshield Stainless Steel Cleaner is a non-abrasive foam aerosol cleaner for stainless steel, chrome and aluminum. It is non-abrasive and contains natural lemon extracts.

USES

- Use on stainless steel fridges, appliances, toasters, kettles, work surfaces, decorative trim, aluminum and metal furniture.

Code	Description	Units
800/02/078	STAINLESS STEEL CLEANER	300 ml



CONCRETE DENSIFIER & SEALER

CONCRETE DENSIFIER - LITHIUM



FEATURES

- Stoneshield Concrete Densifier - Lithium is a specially formulated water based, penetrating, natural look sealer.
- No surface film, anti-dusting repellent designed to protect, densify and harden the concrete surface.
- For interior and exterior use.

USES

- Used as a final finish to densify and harden structurally sound new or existing concrete surfaces by up to 40%, improving wear and tear and providing anti-dusting properties.
- Used to densify polished concrete floors during the grinding and polishing process.
- Can be used as a stand-alone product or in conjunction with other sealers.

Code	Description	Units
800/08/100	CONCRETE DENSIFIER - LITHIUM	5 Litres

INDUSTRIAL CONCRETE SEALER



FEATURES

- Stoneshield Industrial Concrete Sealer is a premium quality high gloss, solvent based, urethane sealer that provides anti-dusting, maximum stain resistance, surface protection and ease of cleaning.

USES

- Designed for all types of concrete floors.
- Can also be used on commercial and domestic concrete floors, where maximum surface protection and stain resistance are required.
- Use only on unpigmented concrete.
- Suitable for interior and exterior use.

Code	Description	Units
800/05/089	INDUSTRIAL CONCRETE SEALER	5 Litres



REPELLENTS - TILE, STONE & CONCRETE

PENETRATING-SEALER™ COLOUR-ENHANCER



FEATURES

- Stoneshield Penetrating-Sealer™ Colour-Enhancer is a premium quality solvent-based penetrating, no-sheen, no surface film, colour enhancing water and oil repellent for maximum stain protection.
- Allows water vapour transmission.

USES

- Can be used as a pre-grouting sealer on clean surfaces at least 6 hours before grouting.
- Suitable on unpolished, tumbled, flamed, natural and honed natural stone tiles including marble, travertine, granite, limestone, sandstone, quartzite; cement pavers and tiles, masonry surfaces, low porosity terracotta and quarry tiles.
- For interior and exterior use.

Code	Description	Units
800/02/075	PENETRATING-SEALER™ COLOUR-ENHANCER	1 Litres
800/02/082	PENETRATING-SEALER™ COLOUR-ENHANCER	5 Litres

PORCELAIN-TILE-SEALER



FEATURES

- Stoneshield Porcelain-Tile-Sealer is an economical solvent-based, penetrating, natural look, no-sheen, no surface film, water repellent for general stain protection.
- Allows water vapour transmission.

USES

- Can be used as a pre-sealer on to clean surfaces at least 6 hours before grouting.
- Suitable on polished and unpolished porcelain, vitrified and unglazed ceramics and other low porosity polished natural stone and it is also suitable as a grout sealer.
- For interior and exterior use.

Code	Description	Units
800/03/036	PORCELAIN-TILE-SEALER	1 Litres
800/03/043	PORCELAIN-TILE-SEALER	5 Litres

WALL-CLADDING-SEALER™



FEATURES

- Stoneshield Wall-Cladding-Sealer™ is a superior quality natural look, no sheen, no surface film, solvent-based penetrating water repellent, designed to provide protection against rain, moisture, general airborne dirt, pollution, mould and mildew.
- Allows water vapour transmission.

USES

- Suitable on most natural stone such as marble, granite, sandstone, cast stone, porcelain, terracotta, clay, cement and concrete bricks and blocks and masonry surfaces.
- Can also be used as a primer for silicone paints, emulsion paints and resin plasters.
- For interior and exterior use.

Code	Description	Units
800/00/022	WALL-CLADDING-SEALER™	1 Litres
800/00/040	WALL-CLADDING-SEALER™	5 Litres

REPELLENTS - TILE, STONE & CONCRETE

GROUT SEALER



FEATURES

- Stoneshield Grout Sealer is an easy to use one-step penetrating aerosol sealer especially formulated for grout.
- A no-sheen, no surface film, natural look finish. Leaves no hard to remove surface residue and prevents mould and mildew growth.

USES

- Suitable for use on all grout joints between ceramic, porcelain and natural stone tiles.
- For use on wall and floor grout.
- For interior and exterior use.

Code	Description	Units
800/04/080	GROUT SEALER	500 ml

HOME & DRY® - MASONRY & BRICK REPELLENT



FEATURES

- Stoneshield Home & Dry® masonry & brick water repellent is a superior quality natural look, no sheen, no surface film, solvent-based penetrating water repellent, designed to provide protection against rain, moisture, general airborne dirt, pollution, mould and mildew.

USES

- Suitable on clay and cement bricks and blocks, fibre cement; concrete and masonry surfaces; natural and artificial stone.
- Can also be used as a primer for silicone and emulsion paints and resin plasters.
- Suitable for interior and exterior use.

Code	Description	Units
800/08/062	HOME & DRY® BRICK & MASONRY REPELLENT	1 Litres
800/05/072	HOME & DRY® BRICK & MASONRY REPELLENT	5 Litres

MARBLE, GRANITE & TRAVERTINE SEALER



FEATURES

- Stoneshield Marble, Granite & Travertine Sealer is a premium quality solvent-based penetrating, no-sheen, no surface film, natural look water and oil repellent for maximum stain protection.
- Allows water vapour transmission.

USES

- Can be used as a pre-grouting sealer on clean surfaces at least 6 hours before grouting. Suitable on low porosity tiles including polished, honed, tumbled and natural marble, travertine, granite, limestone and other natural stone.
- Interior and exterior use.

Code	Description	Units
800/02/051	MARBLE, GRANITE & TRAVERTINE SEALER	1 Litres
800/02/068	MARBLE, GRANITE & TRAVERTINE SEALER	5 Litres

PENETRATING-SEALER™ NATURAL-LOOK



FEATURES

- Stoneshield Penetrating-Sealer™ Natural-Look is an economical solvent-based, penetrating, natural look, no-sheen, no surface- film, water repellent for general stain protection.
- Allows water vapour transmission.

USES

- Can be used as a pre-sealer on to clean surfaces at least 6 hours before grouting.
- Suitable on low porosity natural stone tiles including marble, travertine, granite, porcelain, limestone, quartzite, cement pavers, masonry surfaces, low porosity terracotta, quarry tiles, vitrified and unglazed ceramics.
- For interior and exterior use

Code	Description	Units
800/02/099	PENETRATING-SEALER™ NATURAL-LOOK	1 Litres
800/03/005	PENETRATING-SEALER™ NATURAL-LOOK	5 Litres

WATER-BASED SEALERS - TILE, STONE & CONCRETE

H2O SEAL & SHINE™



FEATURES

- Stoneshield H2O Seal & Shine™ is a superior quality natural look, non-yellowing water-based resin sealer that provides a protective surface shine, good stain resistance and ease of cleaning.
- Seals and shines in one step.

USES

- Suitable on limestone, sandstone, slate, quartzite, cement tiles, terracotta, terrazzo and oxidized concrete.
- For interior and exterior use.

Code	Description	Units
800/04/097	H2O SEAL & SHINE™	1 Litres
800/05/003	H2O SEAL & SHINE™	5 Litres
800/05/004	H2O SEAL & SHINE™	25 Litres

SANDSTONE-SEALER



FEATURES

- Stoneshield Sandstone-Sealer is a superior quality natural look, non-yellowing water-based resin sealer that provides a protective surface sheen, good stain resistance and ease of cleaning.

USES

- Suitable on natural, tumbled and honed sandstone, limestone and similar natural stone.
- Interior and exterior use.

Code	Description	Units
800/00/008	SANDSTONE-SEALER	1 Litres
800/00/015	SANDSTONE-SEALER	5 Litres

SOLVENT-BASED SEALERS - TILE, STONE & CONCRETE

PREMIUM-PLUS™



FEATURES

- Stoneshield Premium-Plus™ is a premium quality, non-yellowing, high-solids solvent-based twin pack polyurethane sealer.
- Provides ultimate stain and surface protection.
- Colour enhances and provides a high gloss finish.

USES

- Suitable on high porosity tiles including terracotta, slate, sandstone, natural stone, cement tiles, natural and pigmented, concrete, oxide and grano-screeds.
- Interior use only.

Code	Description	Units
800/03/091	PREMIUM-PLUS™	5 Litres

PROTECTA-PLUS™



FEATURES

- Stoneshield Protecta-Plus™ is a premium quality, non-yellowing, penetrating, solvent-based twin pack polyurethane sealer.
- Provides excellent stain and surface protection.
- Colour enhances and provides a satin sheen finish.

USES

- Suitable on low to medium porosity tiles including slate, low to medium porosity terracotta, unglazed ceramics and quartzite; honed, natural and tumbled marble and travertine; flamed granite and split tiles.
- Interior use only.

Code	Description	Units
800/06/071	PROTECTA-PLUS™	1 Litres
800/06/088	PROTECTA-PLUS™	5 Litres

SOLVENT-BASED SEALERS - TILE, STONE & CONCRETE

CEMENT-SEALER



FEATURES

- Stoneshield Cement-Sealer is a premium quality, non-yellowing, penetrating, solvent-based resin sealer that provides superior stain and surface protection.
- Colour enhancing satin "wet look" finish.

USES

- Suitable on natural and oxidized cement floors, imprint paving, cement tiles, pavers and cobbles. Also suitable for low traffic and domestic concrete floors.
- For interior and exterior use.

Code	Description	Units
800/04/035	CEMENT-SEALER	1 Litres
800/04/042	CEMENT-SEALER	5 Litres

QUARRI-SEAL®



FEATURES

- Stoneshield Quarri-Seal® is a premium quality, non-yellowing solvent-based resin sealer that provides a satin finish, superior stain resistance and surface protection.
- A penetrating sealer that colour enhances.

USES

- Suitable on low, medium and high porosity tiles including terracotta, slate, slasto, sandstone, cement tiles and pavers, oxidized cement floors, terrazzo, natural stone and quarry tiles.
- Interior and exterior use.

Code	Description	Units
800/03/067	QUARRI-SEAL®	1 Litres
800/03/074	QUARRI-SEAL®	5 Litres
800/03/075	QUARRI-SEAL®	25 Litres

QUARRI-SEAL® MATT



FEATURES

- Stoneshield Quarri-Seal® Matt is a premium quality, non-yellowing solvent-based resin sealer that provides a satin finish, superior stain resistance and surface protection.
- A penetrating sealer that colour enhances.

USES

- Suitable on low to medium porosity tiles, including terracotta, slate, sandstone, cement tiles and pavers, oxidized cement floors, terrazzo, natural stone and quarry tiles.
- Interior and exterior use.

Code	Description	Units
800/03/012	QUARRI-SEAL® MATT	1 Litres
800/03/029	QUARRI-SEAL® MATT	5 Litres
800/03/030	QUARRI-SEAL® MATT	25 Litres

NON-SKID ADDITIVE



FEATURES

- Stoneshield Non-Skid Additive is supplied in powder form to be added to a sealer prior to application.
- Unit size supplied for a 5 litre unit of sealer.

USES

- To provide a light non-skid finish to surfaces that require sealing.
- Must be added to a Stoneshield sealer prior to application.
- Works best with solvent-based resin sealers.

Code	Description	Units
800/06/071	PROTECTA-PLUS™	1 Litres



FEATURES

- Stoneshield Stripp-Off™ is a solvent-based multi-purpose stripper for the removal of most sealers, adhesives, varnishes and paint.
- Specifically formulated for easy water clean-up.

USES

- Suitable for use on natural stone, marble, granite, slate, terrazzo, terracotta, bricks, glazed and unglazed ceramics.
- Suitable for use on most floor finishes.
- Do not use on resin based synthetic surfaces including vinyl tiles, reconstituted marble and epoxy terrazzo.

Code	Description	Units
800/03/050	STRIPP-OFF™	1 Litres
800/06/095	STRIPP-OFF™	5 Litres
800/06/096	STRIPP-OFF™	25 Litres



FEATURES

- Stoneshield Wax-Off™ is a concentrated water-based non- ammoniated stripper for the removal of waxes and polishers.

USES

- Suitable for use on natural stone, marble, granite, travertine, limestone, slate, terrazzo, terracotta, bricks, cement tiles, glazed and unglazed ceramics, vinyl and plastic floor tiles.

Code	Description	Units
800/07/025	WAX-OFF™	1 Litres
800/07/032	WAX-OFF™	5 Litres
800/07/033	WAX-OFF™	25 Litres



POLISHING POWDERS & CRYSTALLISERS

GRANITE POLISHING POWDER



FEATURES

- Stoneshield Granite Polishing Powder is a two-part product consisting of a powder and liquid, formulated specifically to create a high gloss finish on granite.
- Stoneshield Granite Polishing Powder is designed to remove light scratches and uneven wear patterns.
- Sold in kit form.

USES

- To be used on granite for maintenance to maintain the factory gloss or for the restoration and re-polishing of dull granite surfaces.
- Can be used for bull-nosing and difficult to polish areas.
- Use on countertops, floors, vanities etc.

Code	Description	Units
800/03/080	GRANITE POLISHING POWDER	1 KG
	GRANITE POLISHING LIQUID	1 Litres

MARBLE BASE CRYSTALLISER



FEATURES

- Stoneshield Marble Base Crystalliser is a specially formulated machine applied penetrating hardener & densifier, designed to protect and harden the surface of marble, travertine, limestone and terrazzo.
- Reduces surface porosity and improves wear resistance.
- For internal and external use.

USES

- Suitable on unpolished, honed & natural stone where a gloss finish is not desired.
- Best used first where a penetrating repellent is to be used as a sealer.

Code	Description	Units
800/03/099	MARBLE BASE CRYSTALLISER	5 Litres

MARBLE CRYSTALLISER



FEATURES

- Stoneshield Marble Crystalliser is a specially formulated machine buff-able polish for maintaining and protecting the surface shine of polished marble, travertine and limestone.

USES

- Also effective for restoration of dull and lightly worn marble and travertine when used in conjunction with STONESHIELD MARBLE POLISHING POWDER.
- Suitable on polished marble, travertine and limestone.
- For interior use only.

Code	Description	Units
800/03/081	MARBLE CRYSTALLISER	500 ml
800/03/098	MARBLE CRYSTALLISER	5 Litres

MARBLE POLISHING POWDER



FEATURES

- Stoneshield Marble Polishing Powder is an acidic polishing powder designed to remove light surface scratches and uneven wear patterns, to create an even high-gloss polished surface finish.
- The polished surface is now ready to be crystallised or sealed.

USES

- Suitable on polished marble, travertine and limestone and cement-based terrazzo.

Code	Description	Units
800/06/019	COLOURED MARBLE POLISHING POWDER	1 Kg
800/06/026	COLOURED MARBLE POLISHING POWDER	5 Kg
800/06/027	BLACK & GREEN MARBLE POLISHING POWDER	1 Kg
800/06/028	WHITE MARBLE POLISHING POWDER	1 Kg

HONING POWDER, FILLERS, POLISHERS

MARBLE HONING POWDER



FEATURES

- Stoneshield Marble Honing Powder is a non-acidic honing powder designed to remove light surface scratches and uneven wear patterns, to create an even honed surface finish.
- The honed surface is now ready to be re-polished or sealed.

USES

- Suitable on marble, travertine and limestone.

Code	Description	Units
800/05/096	MARBLE HONING POWDER	1 Kg
800/06/002	MARBLE HONING POWDER	5 Kg

MARBLE GLUE



FEATURES

- Stoneshield Marble Glue is a polyester adhesive glue and filler for marble, granite, travertine, natural & engineered stone.
- Low filler content for easy filling of cracks, cavities and holes in natural stone & travertine tiles and slabs.

USES

- Used for glueing and filling of all types of marble, granite, travertine, natural & engineered stone

Code	Description	Units
800/06/030	BEIGE MARBLE GLUE	6 Kg
800/06/029	WHITE MARBLE GLUE	6 Kg
800/06/036	BLACK MARBLE GLUE	6 Kg
800/06/037	GREY MARBLE GLUE	6 Kg
800/06/032	BLACK MARBLE GLUE PIGMENT	50 ml
800/06/035	BEIGE MARBLE GLUE PIGMENT	50 ml
800/06/034	BROWN MARBLE GLUE PIGMENT	50 ml
800/06/031	HARDENER	80 ml

PROTECT & SHINE™



FEATURES

- Stoneshield Protect & Shine™ is a high quality self-shine polymer polish for regular maintenance, used to provide a protective high-shine surface finish.

USES

- Provides the best results when applied to already sealed natural stone, marble, travertine, limestone, slate, terracotta, unglazed ceramics, cement and vinyl tiles. Can be applied over most Stoneshield sealers. Can be used as a pre-sealer prior to grouting on polished porcelain and textured ceramic tiles.
- For interior use only.

Code	Description	Units
800/06/057	PROTECT & SHINE™	1 Litres
800/06/064	PROTECT & SHINE™	5 Litres
800/06/065	PROTECT & SHINE™	25 Litres

SURFACE-PROTECTOR™ MATT FINISH



FEATURES

- Stoneshield Surface-Protector™ Matt Finish is a high quality matt finish polymer polish for regular maintenance, used to provide a protective matt surface finish.

USES

- Provides the best results when applied to already sealed natural stone, marble, travertine, limestone, slate, terracotta, unglazed ceramics, cement and vinyl tiles.
- Stoneshield Surface-Protector™ Matt can be applied over most Stoneshield sealers.
- For interior use only.

Code	Description	Units
800/08/000	SURFACE-PROTECTOR™ MATT	1 Litres
800/08/017	SURFACE-PROTECTOR™ MATT	5 Litres

STONESHIELD SEALER SELECTION CHART

TILE SEALANT CHARACTERISTICS

TILE SEALANT CHARACTERISTICS									
	SEALER	SEALER	SEALER	REPELLENT	REPELLENT	REPELLENT	REPELLENT	POLISH	POLISH
	Premium Quality	Ultra Premium Quality	Superior Quality	Premium Quality	Superior Quality	Superior Quality	Premium Quality	Superior Quality	Superior Quality
	Colour Enhancing	Colour Enhancing	Natural Look	Natural Look	Natural Look	Natural Look	Colour Enhancing	Maintenance	Maintenance
	Satin Sheen Finish	High Gloss	Gloss	Natural Finish	Natural Finish	Natural Finish	Natural Finish	Matt Finish	High Gloss
	Surface Protection	Xtreme Surface Protection	Surface Protection	No Surface Film	No Surface Film	No Surface Film	No Surface Film	Surface Protection	Surface Protection
	Resin Sealer	Resin Sealer	Resin Sealer	Water & Oil Repellent	Water Repellent	Water Repellent	Water & Oil Repellent	Polish	Polish
	Solvent Based	Solvent Based	Water Based	Solvent Based	Solvent Based	Solvent Based	Solvent Based	Water Based	Water Based
	Colour Enhancing	Colour Enhancing	Slight Colour Change	No Colour Change	No Colour Change	No Colour Change	Colour Enhancing		
	Interior & Exterior	Interior Only	Interior & Exterior	Interior & Exterior	Interior & Exterior	Interior & Exterior	Interior & Exterior	Interior Only	Interior Only
TUPE OF TILE or SURFACE									
Cement Bricks, Paving & Cobbles	Cement Sealer		Sandstone Sealer						
Cement Floors - Oxided	Cement Sealer	Premium - Plus	H20 Seal & Shine					Protect & Shine	Protect & Shine
Cement Tiles	Cement Sealer		H20 Seal & Shine					Protect & Shine	Protect & Shine
Cement Floors - Imprint Paving	Cement Sealer		H20 Seal & Shine						
Ceramics Glazed									
Ceramics unglazed						Penetrating Sealer			
Clay Paving Bricks			Sandstone Sealer						
Clay Face Brick	Quarri-Seal Matt				Home & Dry				
Concrete Floors - Domestic	Cement Sealer	Premium - Plus	H20 Seal & Shine					Surface Protector	Protect & Shine
Concrete Floors - Industrial		Premium - Plus							
Concrete - Polished					Penetrating Sealer				
Granite Flamed, Honed	Quarri-Seal Matt			Marble, Granite & Traver		Penetrating Sealer	Penetrating Sealer	Surface Protector	
Granite Polished				Marble, Granite & Traver					Granite Powder
Grout						Grout Sealer			
Jade	Quarri-Seal Matt					Penetrating Sealer	Penetrating Sealer	Surface Protector	
Limestone Natural, Textured, Honed	Quarri-Seal Matt		H20 Seal & Shine			Penetrating Sealer	Surface Protector	Surface Protector	Marble Crystalliser
Limestone Polished			H20 Seal & Shine			Penetrating Sealer	Penetrating Sealer	Surface Protector	Marble Crystalliser
Marble Natural, Textured, Honed, Tumbled	Quarri-Seal Matt			Marble, Granite & Traver				Surface Protector	
Marble Polished				Marble, Granite & Traver					Marble Crystalliser
Porcelain Polished Tile						Porcelain Tile Sealer			
Porcelain Textured Tile						Penetrating Sealer		Surface Protector	
Quarry Tiles	Quarri-Seal		H20 Seal & Shine			Penetrating Sealer			Protect & Shine
Quartzite Natural	Quarri-Seal Matt		H20 Seal & Shine			Penetrating Sealer		Surface Protector	
Quartzite Polished			H20 Seal & Shine						
Rosa Stone	Quarri-Seal		H20 Seal & Shine						Protect & Shine
Sandstone Honed	Quarri-Seal		Sandstone Sealer					Surface Protector	
Sandstone Natural	Quarri-Seal		Sandstone Sealer					Surface Protector	
Sandstone Polished			Sandstone Sealer			Penetrating Sealer			Protect & Shine
Slate Polished			Sandstone Sealer			Penetrating Sealer	Penetrating Sealer		Protect & Shine
Slate Natural	Quarri-Seal / Matt		H20 Seal & Shine				Penetrating Sealer	Surface Protector	
Slasto	Quarri-Seal		H20 Seal & Shine						Protect & Shine
Terracotta Medium Porosity (N.C.I)	Quarri-Seal Matt					Penetrating Sealer			Protect & Shine
Terracotta High Porosity (Imported)	Quarri-Seal		H20 Seal & Shine						Protect & Shine
Terracotta Low Porosity (N.C.I)						Penetrating Sealer	Penetrating Sealer	Surface Protector	
Terrazzo Polished			H20 Seal & Shine			Penetrating Sealer			Marble Crystalliser
Terrazzo Textured	Quarri-Seal Matt		H20 Seal & Shine					Surface Protector	
Travertine Natural, Honed, Tumbled	Quarri-Seal Matt			Marble, Granite & Traver			Penetrating Sealer		Marble Crystalliser
Travertine Natural Unfilled	Quarri-Seal Matt			Marble, Granite & Traver			Penetrating Sealer		Marble Crystalliser
Travertine Polished				Marble, Granite & Traver					Marble Crystalliser
Wall Cladding Masonry & Brick	Quarri-Seal Matt					Home & Dry			
Wall Cladding Natural Stone	Quarri-Seal Matt					Wall Cladding Sealer			

ROX[®]
DO IT RIGHT[™]



**FLOOR PREPARATION
TOOLS**

FLOOR GRINDERS

ROX® FALCON 3000 CONCRETE FLOOR GRINDER - ELECTRIC



FEATURES

- Electric Concrete Floor Grinder with 3 kw motor for medium to large floors.
- 230 v single phase motor with standard wall plug.
- 500 mm grinding width for general purpose grinding and concrete polishing. Built-in dual dust extraction ports.
- 970 RPM
- Folding handle for easy transportation.
- Very low cost of operation due to build quality and cost of parts.
- Uses standard 125 mm & 180 mm diamond cups thereby reducing grinding costs.
- Velcro backing pads can be used with velcro backed polishing pads.

USES

- Grinding of concrete floors, screeds and overlays.
- Polishing of concrete and concrete polishing.
- Grinding of concrete for stone exposure prior to polishing.
- Grinding of concrete for epoxy coating and floor coatings.
- Removal of floor painting, epoxy, urethane, glues & polyurethanes.



Code	Description	Power	Weight	RPM	Width
01/3/101	FALCON 3000	3 kw	100 kg	970 rpm	500 mm
01/2/901	DIAMOND GRINDING PLATE				
01/2/902	COUPLING				
01/2/913	DUST SHROUD				
01/2/914	MAIN SHAFT				
01/2/915	SPACER STUD				

ROX® FALCON 9500 CONCRETE FLOOR GRINDER - PETROL



FEATURES

- Petrol floor grinder with Kohler 9.5 kw petrol motor.
- Very powerful grinder for large to very large projects.
- 500 mm grinding width for heavy floor grinding & polishing.
- Built-in dust extraction port.
- Built-in gearbox.

USES

- Can be used for concrete grinding and polishing.
- Very practical on construction projects where electricity may be erratic.
- Grinding of concrete for epoxy coating and floor coatings.
- Removal of coatings and overlays up to 4 mm thick.



Code	Description	Power	Weight	RPM	Width
01/2/101	FALCON 9500	9.5 hp	128 kg	91380 rpm	500 mm
01/2/901	DIAMOND GRINDING PLATE				
01/2/902	COUPLING				
01/2/911	GEARBOX				
01/2/912	CLUTCH				
01/2/913	DUST SHROUD				
01/2/914	MAIN SHAFT				
01/2/915	SPACER STUD				

SCARIFIER & POWER STRIPPER

ROX® VULTURE 200 ELECTRIC SCARIFIER (SCABBLER / MILLING MACHINE / FLOOR PLANER)

FEATURES

- Electric scarifier with 2.2 kw motor for small to medium sized floors.
- 230 v single phase motor with 900 rpm drum rotation.
- Designed to cut extremely quickly with a shallow depth of 3-5 mm.
- Integrated dust extraction port and height adjustment wheel.

USES

- Profiling of concrete surfaces for the application of overlays.
- Concrete profiling for 6-9 mm epoxy and urethane screeds.
- For the removal of epoxy, urethanes, asphalt, tar & paint.
- Produces a scarified, scabbled or grooved surface finish.

Code	Description	Power	Weight	RPM	Width
02/1/099	VULTURE 200 - BODY ONLY	2.2 kw	62 kg	900rpm	200 mm
02/1/913	DRUM COMPLETE - M200 - FLAILS				
02/1/915	DRUM COMPLETE - M400 - CUTTERS				
02/1/917	DRUM COMPLETE - M300 - TUNGSTEN SCRAPERS				
02/1/911	DRUM ONLY (EXC SHAFTS AND FLAILS)				
02/1/925	SHAFTS				
02/1/930	STEEL CABLE (HEIGHT ADJUSTMENT)				
02/1/701	FLAILS - 5 POINT				



ROX® DRAGON 2000 POWER STRIPPER

FEATURES

- Single phase 2 kw powerful electric motor.
- Cam driven cutting blades with no belts to be replaced.
- Height adjustable mechanism. Replacement blades available.

USES

- For the removal of carpet and vinyl tiles and sheeting, laminates, adhesive and wood.



Code	Description	Power	Weight	Voltage	Width
08/2/201	DRAGON 2000	2.0 kw	31 kg	900rpm	300 mm
08/1/906	REPLACEMENT BLADE				300 mm

AGP JOINT CUTTER - DUST FREE



FEATURES

- 1800 watt motor, 230 V - 50 HZ.
- Variable cutting depth from 2 mm to 50 mm.
- Variable cutting width from 2 mm to 50 mm.
- Dust extraction port for dust free cutting.
- Uses cutting blades from 125 mm to 180 mm

USES

- Used to cut expansion joints in epoxy and urethane flooring systems.
- Used to cut slots for underfloor heating.
- Used to cut anchor grooves for urethane screeds.
- Used to chase joints in walls for plumbing pipes & electrical conduit.

Code	Description	Power	Dimensions	Cutting Depth
12/1/101	JOINT CUTTER	1800 w	2 - 50 mm	2 - 50 mm

ROX® DUST COLLECTOR COVERS



FEATURES

- Dust free grey hand grinder cover, used on most brands of angle grinders.
- Made of high quality urethane for abrasion resistance and durability.
- Attach to any good quality vacuum cleaner for dust free grinding.

USES

- Dust free black hand grinder cutting cover, used on most brands of angle grinders.
- Attach to any good quality angle grinder for dust free cutting.

Code	Description	Dimensions	Cutting Depth
10/9/910	DUST COLLECTOR COVER	180 mm/7"	Urethane
10/9/911	SPACER FLANGE	2 Piece Set	Steel
10/9/940	CUTTING DUST COLLECTOR COVER	125 mm	Steel
10/9/930	CUTTING DUST COLLECTOR COVER	180 mm	Steel

ROX® HAND-HELD SCARIFIER



FEATURES

- The hand-held scarifier is a mini version of a conventional scarifier.
- Drum & shafts are manufactured from case hardened steel.
- Flails are standard industrial quality.
- Must be used with a variable speed grinder.

USES

- Used for walls, overhead structures, hard to reach areas & edges.
- For scarifying, roughening, levelling, smoothing or creating grooves in concrete surfaces.
- For the removal of slurry, coatings and overlays.

Code	Description
10/3/901	SCARIFIER SHAFT
10/3/902	SCARIFIER DRUM EX SHAFTS
10/3/903	OUTER COVER
10/3/701	5 POINT FLAILS

ROX® SCARIFIER FLAILS (TUNGSTEN CUTTERS)



FEATURES

- High quality tungsten carbide flails for scarifiers.
- Made in the USA / P.R.C.

USES

- For concrete and asphalt preparation.
- For the removal of asphalt and coatings.

Code	Description
02/1/701	5 POINT FLAILS
02/2/701	6 POINT FLAILS
02/3/701	8 POINT FLAILS
02/4/701	12 POINT FLAILS

ROTARY SCRUBBER / POLISHER

ROX® MP 17 SANDER / POLISHER



FEATURES

- 1800 watt single phase planetary geared machine - 68 kgs.
- Supplied with solution tank, cast iron pad drive and removable weight of 20 kgs.
- Optional extras - soft brushes, hard brushes & pad drives.
- 425 mm operating width.

USES

- Diamond grind, polish and crystallise marble, natural stone & travertine.
- Diamond grind, polish & densify polish concrete floors.
- Sanding of wooden floors.

Code	Description	Power	Voltage	Weight	RPM
07/2/101	ROX® - MP 17	1800 kw	230 v	68 kg	154 rpm
07/0/930	CATCH PLATE				
07/0/931	PAD DRIVE				
07/0/934	SOFT BRUSH				
07/0/935	HARD BRUSH				
07/0/937	POLISHING PAD DRIVE - PLASTIC				
07/0/938	POLISHING PAD DRIVE - CAST IRON				
07/0/940	ADDITIONAL WEIGHT				



ROX® FPS 1100 FLOOR SCRUBBER



FEATURES

- 1100 watt single phase machine - 48 kgs.
- 1100 watt multi-functional floor scrubber, supplied with solution tank, 1 x soft brush, 1 x hard brush, and 1 x pad drive.
- 410 mm operating width.

USES

- For washing, cleaning, stripping and polishing on hard floors, soft floors, stone floors and tiles. Can be used to shampoo carpets.

Code	Description	Power	Voltage	Weight	RPM
07/1/101	ROX® - FPS 1100	1100 kw	230 v	48 kg	154 rpm
07/0/901	PAD DRIVE				
07/0/906	SOFT BRUSH				
07/0/907	HARD BRUSH				
07/0/911	POLISHING PAD DRIVE				

DRY VACUUM CLEANERS

ROX® CYCLONE DRY DUST VACUUM



FEATURES

- 3 x 1150 watt motors.
- Long life filters & motor.
- Tried and tested built-in cyclone separator system.
- Made in Italy.

USES

- Designed for concrete grinding and fine dust.
- Can be used on most large industrial floor grinding, scarifying and cutting equipment.
- Designed for continuous use due to built in cyclone and quick replacement of filter bag.

Code	Description	Power	Voltage	Air Flow	Water Lift	Litres
09/2/111	ROX® CYCLONE	3500 kw	230 v	765m3/ hr	2230 mm	30 L
09/2/901	MICOFIBRE FILTER BAG					
09/2/903	HEPA FILTER CARTRIDGE - H13					

ROX® ENERGETIC DRY VACUUM



FEATURES

- Single phase 1400 watt motor.
- Semi-automatic filter cleaning technology with reverse air pulse.
- Large 30 litre tank.
- Long life filters and motor.
- Full bag indicator.
- Speed and noise regulator.
- Made in Italy.

USES

- Designed for concrete grinding, fine dust and saw dust.
- For use on all hand tools for grinding, sanding, cutting, and coring.
- For use on construction sites, workshops and carpentry shops.

Code	Description	Power	Voltage	Air Flow	Water Lift	Litres
09/1/050	ENERGETIC 30	1400 kw	230 v	119m3/ hr	2270 mm	30 L
09/2/901	MICOFIBRE FILTER BAG					
09/1/921	HEPA FILTER CARTRIDGE					

AGP - DE 25 DRY DUST VACUUM



FEATURES

- 2 stage 1200 watt single motor.
- Dry vac with automatic electromagnetic filter shaker.
- Variable speed suction power for different density materials.
- Integrated power socket for tools up to 2200 watts.
- Long life motor with by-pass cooling.
- 25 L Capacity

USES

- Designed for concrete grinding & fine dust.
- To be used with hand tools for cutting, grinding, sanding and drilling.
- Dual filters with automatic filter shaker for continuous use.

Code	Description	Power	Voltage	Air Flow	Water Lift	Litres
09/1/101	AGP - DE 25	1200 kw	230 v	240m3/ hr	250 mbr	25 L

VACUUM CLEANERS & SPARES

SATURN 60 WET & DRY VACUUM



FEATURES

- Single phase, 2 x 1000 w, two stage motors.
- High density moulded polyethylene tank.
- Complete with pipe, pick-up & wand.

USES

- Wet and dry vacuum cleaner best suited for washing and wet applications.
- Not suitable for large quantities of fine dust.
- For all wet extraction processes.

Code	Description	Power	Voltage	Air Flow	Water Lift	Litres
09/3/101	SATURN 60	2 x 1000 kw	230 v	106 l/min	250 mbr	60 L
09/3/110	CONE SHAPED FILTER - DRY					
09/3/912	FILTER CARTRIDGE - WET					

CYCLONE SEPARATOR (PRE-SEPARATOR)



FEATURES

- Designed to stop 95% of the dust reaching the vacuum filters.
- Reduces suction loss, improves filter clogging.
- Extremely reliable - no moving parts.

USES

- Supplied complete with fittings and hose.
- Can be used with all wet / dry vacuums, when cutting, grinding or sanding.
- For concrete dust, drywall dust & wood dust (saw dust).

Code	Description	Litre Capacity
09/2/610	HEPA FILTER CARTRIDGE	60 L

WET & DRY VACUUM SPARES



FEATURES

- Vacuum attachments compatible with most 38 mm wet and dry vacuum cleaners.

USES

- Wet and dry vacuum cleaner attachments for wet and dry vacuum cleaners.

	Code	Description
A	09/3/102	40 MM STEEL TUBE (WAND)
B	09/3/103	DRY VACUUM HEAD
C	09/3/104	WET VACUUM HEAD
D	09/3/105	VACUUM HOSE
E	09/3/106	SHORT CONNECTOR
F	09/3/107	WAND CONNECTOR
G	09/9/811	SQUEEGEE PICK-UP BLADES

WET & DRY VACUUM SPARES



FEATURES


- Single phase vacuum cleaner motors.

USES

- For the range of wet & dry vacuum cleaners we stock.

	Code	Description	Power	
A	09/9/801	2 STAGE MOTOR	1200 WATT	SATURN VAC (ITALY)
B	09/9/802	2 STAGE MOTOR	1200 WATT	SATURN VAC (CHINA)
C	09/1/910	2 STAGE MOTOR	1200 WATT	AGP VAC
D	09/9/831	1 STAGE MOTOR	1250 WATT	3-FLOW (ITALY)
E	09/9/812	2 STAGE MOTOR	1200 WATT	CYCLONE VAC

ROX®
DO IT RIGHT™



FLOOR APPLICATION TOOLS

**FEATURES**

- Powerful 1800 watt motor.
- Dual high torque gearbox with max 40 NM of torque.
- Variable speed control from 150 to 650 rpm.
- Gearbox 1 - 150 - 300 rpm. (high torque / low speed).
- Gearbox 2 - 300 - 650 rpm. (low torque / high speed).
- Soft start capability.
- Impact resistant rubber handles.
- Wide range of replacement spindles available.

USES

- For mixing epoxy & urethane floor / wall paint.
- For mixing epoxy & urethane self-levelling compounds.
- For mixing epoxy & urethane screeds (HF / MF / UL).
- For mixing self-levelling cement screeds.
- For mixing plaster, gypsum & stucco.
- For mixing tile adhesives, glues & mastics
- Not to be used to mix aggregates and stone.

Code	Description	Power	Voltage	Weight	Litre cap.
15/1/060	TWISTER-180™	1800 w	230 v	7 kg	50 kg

A.G.P. - EV 160**FEATURES**

- Powerful 1600 watt motor.
- Dual gear box with max 42 NM of torque.
- Variable speed control from 180 rpm to 550 rpm.
- Gearbox 1 - 180 - 350 rpm. (high torque / low speed).
- Gearbox 2 - 280 - 550 rpm. (low torque / high speed).

USES

- For mixing epoxy & urethane screeds (HF / MF / UL)
- For mixing epoxy self-levelling compounds.
- For mixing self-levelling cement screeds.
- For mixing plasters, gypsum & stucco.
- For mixing tile adhesive, glues and mastics.
- Not to be used to mix concrete and stone.

Code	Description	Power	Voltage	Weight	Litre cap.
14/1/010	AGP - EV160	1600 w	230 v	5.6 kg	75 kg

MIXING PADDLES & SPINDLES

ROX® BIRD CAGE MIXING PADDLES / SPINDLES

FEATURES

- All paddles come standard with an M14 connector.
- Bird cage configurations induce less air.

USES

- A low shear mixer for powdered materials.
- Best for mixing glue, screeds, tile adhesive, gypsum & plasters.
- Suitable for micro aggregate systems.

Code	Description	Weight	Size
15/0/901	BIRD CAGE	Batch 50 kg max	120 mm x 600 mm

ROX® HELICON MIXING PADDLES / SPINDLES

FEATURES

- All paddles come standard with an M14 connector.
- Helicon Ribbon shape for general purpose medium use.

USES

- High shear mixer for heavy sticky material.
- For epoxy and urethane floor paint & coatings.
- For plaster & gypsum.
- Moves the mix from bottom to top.

Code	Description	Weight	Size
15/0/903	HELICON RIBBON	Batch 50 kg max	120 mm x 600 mm

ROX® SPIRAL MORTAR MIXING PADDLES / SPINDLES

FEATURES

- All paddles come standard with an M14 connector.
- Moves material from bottom to top.

USES

- For mixing heavy and high viscosity material.
- For mixing epoxy and urethane screeds and epoxy quartz.
- For mixing plaster, concrete and screeds.

Code	Description	Weight	Size
15/0/904	SPIRAL MORTAR	Batch 25 kg max	120 mm x 600 mm
15/0/906	SPIRAL MORTAR	Batch 50 kg max	140 mm x 600 mm

ROX® HI-SHEAR MIXING PADDLES / SPINDLES

FEATURES

- All paddles come standard with an M14 connector.
- Hi-shear shape for better pigment dispersal.

USES

- A hi shear mixer for pigmented materials.
- Best for mixing epoxy and urethane paints.
- Suitable for mixing self-levelling epoxy.

Code	Description	Weight	Size
15/0/910	HI-SHEAR	Batch 25 kg max	150 mm x 600 mm

ROX® MULTI-MIXING PADDLES / SPINDLES

FEATURES

- All paddles come standard with an M14 connector.
- Hi Shear shape for better pigment dispersal.

USES

- hi shear mixer for pigmented materials.
- Best for mixing epoxy and urethane paints.
- Suitable for mixing self-levelling epoxy.

Code	Description	Weight	Size
15/0/901	BIRD CAGE	Batch 50 kg max	120 mm x 600 mm

SCREED MIXERS

ROX® SCREED MIXER (PAN MIXER)

FEATURES

- ROX® Screed Mixer (pan mixer) for mixing epoxy screeds, urethane screeds and micro concrete.
- The design angle allows for easier mixing & folds the material allowing for less air entrapment.
- Comes complete with drum clip, switch box & paddle.
- Very powerful 60 rpm geared motor with high torque gearbox.

USES

- ROX® Screed Mixer (pan mixer) is used to mix epoxy screeds, urethane screeds & cement screeds and micro concrete,
- including (UT / UTS / HF / RT / UD200 / MF).
- Effective where hand held mixers are not powerful enough and where micro-aggregate or small stone is to be added.
- Can be used with a 20 or 25 litre disposable paint drum for easy disposal & clean-up.



Code	Description	RPM	Motors
15/5/010	ROX® SCREED MIXER	60	Electric
15/5/901	DRUM CLIPS		
15/5/902	PADDLES		

ROX® TWISTER MIXING STAND

FEATURES

- Unique design - allows operator to move mixer enabling better mixing.
- Uses standard mixing tin 20 L - 25 L.

USES

- Converts hand held mixer into fixed standing unit.
- Increases productivity - reduces labour.



Code	Description
15/5/003	ROX® TWISTER MIXING STAND

MOISTURE METERS & CONCRETE REBOUND HAMMER

CAISSON VI-D4 CONCRETE MOISTURE METER



FEATURES

- Most advanced non-destructive moisture meter available, specifically for concrete.
- Measures by means of 8 gold plated studs and 2 sensor plates.
- Measures moisture to a depth of 40-50 mm.
- German engineering with a 2 year warranty.
- Accurate to 0.5%.
- Various additional probes available.

USES

- Has a different setting for concrete, cement screeds and anhydrite screeds (self levelling screeds).
- Essential for every flooring contractor laying epoxy, vinyl, wood, tiles, carpets, screeds and overlays.

Code	Description	Weight	Size
33/4/030	CAISSON VI-D4	215 gr	147 x 89 x 33 mm

PROBES FOR CAISSON VI-D4 MOISTURE METER

FEATURES

- Electrodes for Caisson VI-D4.

USES

- PP-05 surface & insertion probes for measuring moisture in plaster, drywalling & wood.
- BE-03 insertion probes for depth measuring, in wooden beams, soft building materials, grains & seeds.

Code	Description	Weight	Size
33/4/031	PP-05 NEEDLE ELECTRODE - PROBE	200 gr	147 x 79 x 24 mm
33/4/032	BE-03 BRUSH ELECTRODE - PROBE	200 gr	147 x 79 x 24 mm

CAISSON GM 200 MOISTURE METER



FEATURES

- GM 200 is a compact, low cost pin-less moisture meter.
- Measures to a depth of 20 mm.
- Used to measure moisture in concrete, cement, plaster, hard and soft wood.
- Accurate and easy to use moisture meter with 8 specific material settings.
- German engineering with a 2 year warranty.
- Various probes available.

USES

- Different setting for concrete, cement screeds and anhydrite screeds (self levelling screeds) and wood.
- Essential for every flooring contractor laying epoxy, vinyl, wood, tiles, carpets, screeds, and overlays.

Code	Description	Weight	Size
33/4/020	CAISSON GM 200	200 gr	147 x 79 x 24 mm

"SCHMIDT" CONCRETE REBOUND HAMMER HT 225 A



FEATURES

- A spring loaded steel hammer encased in an aluminium housing.
- Supplied in a plastic carry case.
- Calibration services provided.

USES

- Used to test the compressive strength (MPa) of the concrete surface.
- Essential equipment for every flooring contractor.
- Reduces the risk of laying on to structurally weak floors.

Code	Description	Weight	Size
33/5/010	CONCRETE REBOUND HAMMER	1 kg	280 x 55 mm

**FEATURES**

- Manufactured from abrasion resistant stainless steel.
- Precision engineered angled blade to keep the rake at 90 degrees during use - keeping material thickness constant.
- Gauging rake pulls 40% of the actual V-notch size.
- Details below in table.

USES

- Used to accurately spread self-smoothing and self-levelling systems.
- Use for self-levelling epoxy, urethane and cement screeds.
- Most commonly used to apply self-levelling systems between 500 microns and 4 mm.

Code	Description	Size	Materials	Speed
31/1/001	GAUGING RAKE	600 mm x 1.2 mm	S/Steel	500 mic
31/1/002	GAUGING RAKE	600 mm x 1.5 mm	S/Steel	600 mic
31/1/003	GAUGING RAKE	600 mm x 2 mm	S/Steel	800 mic
31/1/004	GAUGING RAKE	600 mm x 2.5 mm	S/Steel	1.0 mm
31/1/005	GAUGING RAKE	600 mm x 3 mm	S/Steel	1.2 mm
31/1/006	GAUGING RAKE	600 mm x 4 mm	S/Steel	1.6 mm
31/1/007	GAUGING RAKE	600 mm x 5 mm	S/Steel	2.0 mm
31/1/008	GAUGING RAKE	600 mm x 6 mm	S/Steel	2.4 mm
31/1/009	GAUGING RAKE	600 mm x 7 mm	S/Steel	2.8 mm
31/1/010	GAUGING RAKE	600 mm x 8 mm	S/Steel	3.2 mm
31/1/011	GAUGING RAKE	600 mm x 9 mm	S/Steel	3.6 mm
31/1/012	GAUGING RAKE	600 mm x 10 mm	S/Steel	4.0 mm

ROX® GAUGING RAKE - REPLACEMENT BLADES**FEATURES**

- Manufactured from abrasion resistant stainless steel.
- Precision engineered angled blade to keep the rake at 90 degrees during use - keeping material thickness constant.
- Gauging rake pulls 40% of the actual V-notch size.
- Details below in table.

USES

- Used to accurately spread self-smoothing and self-levelling systems.
- Use for self-levelling epoxy, urethane and cement screeds.
- Most commonly used to apply self-levelling systems between 500 microns and 4 mm.

Code	Description	Size	Materials	Speed
31/2/001	REPLACEMENT BLADE	600 mm x 1.2 mm	S/Steel	500 mic
31/2/002	REPLACEMENT BLADE	600 mm x 1.5 mm	S/Steel	600 mic
31/2/003	REPLACEMENT BLADE	600 mm x 2 mm	S/Steel	800 mic
31/2/004	REPLACEMENT BLADE	600 mm x 2.5 mm	S/Steel	1.0 mm
31/2/005	REPLACEMENT BLADE	600 mm x 3 mm	S/Steel	1.2 mm
31/2/006	REPLACEMENT BLADE	600 mm x 4 mm	S/Steel	1.6 mm
31/2/007	REPLACEMENT BLADE	600 mm x 5 mm	S/Steel	2.0 mm
31/2/008	REPLACEMENT BLADE	600 mm x 6 mm	S/Steel	2.4 mm
31/2/009	REPLACEMENT BLADE	600 mm x 7 mm	S/Steel	2.8 mm
31/2/010	REPLACEMENT BLADE	600 mm x 8 mm	S/Steel	3.2 mm
31/2/011	REPLACEMENT BLADE	600 mm x 9 mm	S/Steel	3.6 mm
31/2/012	REPLACEMENT BLADE	600 mm x 10 mm	S/Steel	4.0 mm



FEATURES

- Manufactured from Heavy-duty stainless steel with a pre-set Tri-glide at either end.
- Very Precise and accurate tool for medium thickness systems.
- Each glide has 3 working points making this tool very economical.
- Easy to adjust, simply unscrew and rotate.

USES

- For applying self- smoothing and self- levelling cement screeds from 3 to 10 mm.
- For applying epoxy and urethane screeds from 3 to 10 mm.

Code	Description	Size	Materials	Units
31/3/001	TRI-GLIDE	600 mm	S/Steel	1
31/3/020	REPLACEMENT GLIDERS	3 mm	S/Steel	Set of 2
31/3/021	REPLACEMENT GLIDERS	4 mm	S/Steel	Set of 2
31/3/022	REPLACEMENT GLIDERS	5 mm	S/Steel	Set of 2
31/3/023	REPLACEMENT GLIDERS	6 mm	S/Steel	Set of 2
31/3/024	REPLACEMENT GLIDERS	8 mm	S/Steel	Set of 2
31/3/025	REPLACEMENT GLIDERS	10 mm	S/Steel	Set of 2

ROX® FLOOR SPREADER



FEATURES

- Manufactured from heavy-duty stainless steel.
- Supplied with 2 heavy-duty adjustable anchor pins.

USES

- For applying self-smoothing and self-levelling systems.
- For cement screeds from 10 mm to 50 mm thick.

Code	Description	Size	Materials	Units
31/4/010	FLOOR SPREADER	600 mm	S/Steel	1
31/4/011	ANCHOR PINS		S/Steel	Set of 2

ROX® SKEG LEVeller (PIN LEVeller REPLACEMENT)



FEATURES

- Manufactured from stainless steel with 4 pre-set skegs.
- Very precise and accurate tool for medium thickness systems.
- Replaceable Skegs from 3 mm up to 10 mm.
- Due to the design the skegs last longer and wear slower than pins.
- Replaceable skegs make this tool very economical.

USES

- For applying self-smoothing and self-levelling systems.
- Use for self-levelling epoxy, urethane and cement screeds from 3 mm to 10 mm.

Code	Description	Size	Materials	Units
31/5/010	SKEG LEVeller	600 mm	S/Steel	1
31/5/013	REPLACEMENT SKEGS	3 mm	S/Steel	Set of 4
31/5/014	REPLACEMENT SKEGS	4 mm	S/Steel	Set of 4
31/5/016	REPLACEMENT SKEGS	6 mm	S/Steel	Set of 4
31/5/018	REPLACEMENT SKEGS	8 mm	S/Steel	Set of 4
31/5/020	REPLACEMENT SKEGS	10 mm	S/Steel	Set of 4

SPIKE ROLLERS

ROX® SPIKE ROLLERS - PROFESSIONAL 11 MM



FEATURES

- Professional quality spike roller with steel frame and handle.
- 11 mm solvent resistant spikes.
- All spikes are locked together and turn as one unit.

USES

- Removes bubbles and helps to level self-levelling epoxy and urethane systems under 4 mm thick.
- Should not be used for self-levelling cement systems and systems thicker than 4 mm.
- The splash guard reduces spraying of material onto walls, and finished floors.

Code	Description	Size	Length
30/1/010	SPIKE ROLLER	11 mm	250 mm
30/2/010	SPIKE ROLLER + SPLASH GUARD	11 mm	250 mm
30/1/011	SPIKE ROLLER	11 mm	500 mm
30/2/011	SPIKE ROLLER + SPLASH GUARD	11 mm	500 mm

ROX® SPIKE ROLLERS - PROFESSIONAL 31 MM



FEATURES

- Professional quality spike roller with steel frame and handle.
- 31 mm solvent resistant spikes.
- All spikes are locked together and turn as one unit.

USES

- Removes bubbles and helps to level self-levelling cement screeds and epoxy systems over 4 mm thick.
- Should not be used for self-levelling epoxy and urethane systems under 4 mm thick.
- The splash guard reduces spraying of material onto walls, and finished floors.

Code	Description	Size	Length
30/1/021	SPIKE ROLLER	31 mm	250 mm
30/2/020	SPIKE ROLLER + SPLASH GUARD	31 mm	250 mm
30/1/022	SPIKE ROLLER	31 mm	500 mm
30/2/021	SPIKE ROLLER + SPLASH GUARD	31 mm	500 mm

ROX® SPIKE ROLLERS - STAINLESS STEEL



FEATURES

- Professional quality spike roller with steel frame and handle.
- 13 mm stainless steel spikes.
- Low surface tension enables longer working times.

USES

- Removes bubbles & helps to level epoxy & urethane systems under 4 mm thick.
- Should not be used for self-levelling cement systems and systems thicker than 4 mm.

Code	Description	Size	Length
30/1/030	STAINLESS STEEL SPIKE ROLLER	13 mm	250 mm
30/1/031	STAINLESS STEEL SPIKE ROLLER	13 mm	500 mm

ROX® SPIKE ROLLERS - STAINLESS STEEL



FEATURES

- Professional quality spike roller with steel frame and handle.
- 19 mm stainless steel spikes.
- All spikes are locked together and turn as one unit.

USES

- Removes bubbles and helps to level self-levelling cement screeds and epoxy systems over 4 mm thick.
- Ideal for self-smoothing urethane screed systems.
- Ideal for epoxies between 500 & 1000 mic.
- 6 - 9 mm screed.

Code	Description	Size	Length
30/1/040	STAINLESS STEEL SPIKE ROLLER	19 mm	250 mm

SPIKE ROLLERS & SPIKE SHOES

ROX® SPIKE ROLLERS - CONTRACTOR



FEATURES

- Contractor quality spike roller with plastic handle.
- Solvent resistant spikes.
- All spikes are locked together and turn as one unit.
- Unit is lighter and tends to "push" less material.

USES

- Removes bubbles and helps to level self-levelling epoxy and urethane systems.
- Removes bubbles and helps to level self-levelling cement screeds.

Code	Description	Size	Length
30/3/011	SPIKE ROLLER	11 mm	400 mm
30/3/013	SPIKE ROLLER	31 mm	400 mm

ROX® SPIKE ROLLERS - CONTRACTOR



FEATURES

- Contractor quality spike roller with plastic handle.
- Solvent resistant spikes.
- All spikes are locked together and turn as one unit.
- Unit is lighter and tends to "push" less material.

USES

- Removes bubbles and helps to level self-levelling cement screeds.
- Removes bubbles and helps to level self-levelling epoxy and urethane systems.

Code	Description	Size	Length
30/3/010	SPIKE ROLLER	11 mm	250 mm
30/3/012	SPIKE ROLLER	31 mm	250 mm

ROX® SPIKE ROLLERS - REFILL



FEATURES

- Professional quality spike roller refills, for professional spike roller.
- 11 mm & 31 mm solvent resistant replacement spikes.
- All spikes are locked together and turn as one unit.

USES

- As per original spike rollers.

Code	Description	Size	Length
30/1/010R	SPIKE ROLLER REFILL	11 mm	250 mm
30/1/011R	SPIKE ROLLER REFILL	11 mm	500 mm
30/1/021R	SPIKE ROLLER REFILL	31 mm	250 mm
30/1/022R	SPIKE ROLLER REFILL	31 mm	500 mm

ROX® SPIKE SHOES



FEATURES

- Solvent resistant, durable black poly-prop bases.
- 13 x 25 mm spikes per shoe.
- All straps are supplied with metal buckles.
- One size fits all. Replacement straps and spikes available.

USES

- Used in the application of self-levelling epoxy, urethanes and cement screeds.
- To walk in self-levelling systems during the application process to spike roll and de-aerate.

Code	Description	Size	Length
30/7/011	SPIKE SHOES	One Size	300 mm
30/7/901	REPLACEMENT SPIKES		25 mm
30/7/902	REPLACEMENT STRAPS	25 mm	700 mm

SQUEEGEES

ROX® SQUEEGEE - SPRING STEEL



FEATURES

- Manufactured from high quality spring steel.
- Provides the correct flex to evenly spread thin layers of material.
- Provides the required pressure for concrete priming.
- Standing improves efficiency and productivity.

USES

- For spreading of solvent free epoxy and urethane primers (from 50 to 150 microns)
- For self-levelling cement systems.
- For thin film coatings and feather edges.
- For very tight epoxy scraper coats.
- Effective at pushing cement dust after concrete grinding.

Code	Description	Size	Materials
34/1/010	SQUEEGEE	300 mm x 120mm	Spring Steel
34/1/011	SQUEEGEE	600 mm x 120mm	Spring Steel

ROX® SQUEEGEE - GREY RUBBER



FEATURES

- Aluminium frame with non-marking solvent resistant rubber blades.
- Comes complete with handle.
- No replacement blades.

USES

- Multiple uses in various industries.
- For flooring, use to apply solvent free primers, silica filled primers, and epoxy scraper coats (from 150 microns to 400 microns).
- Best for epoxy quartz systems (Peran STB, Quartz Carpet, Stonecarpet, SLT).

Code	Description	Dimensions
34/2/011	SQUEEGEE - COMPLETE	450 mm x 50 mm

ROX® SQUEEGEE - WHITE RUBBER



FEATURES

- High quality steel frame manufactured to last.
- Replaceable food grade non-marking white rubber blades.

USES

- For applying epoxy sealer coats to urethane screeds & textured or aggregate scattered systems.
- For applying sealer coats to epoxy quartz systems (Peran STB, Quartz Carpet, Stonecarpet, Stoneshield, SLT).

Code	Description	Dimensions
334/2/010	SQUEEGEE - COMPLETE	300 mm x 25 mm
34/2/030	REPLACEMENT BLADE	300 mm x 25 mm

ROX® APPLICATOR POLES

FEATURES

- PVC coated wooden and steel applicator poles / sticks.
- Diameter - 25 mm thick.

USES

- For use with rollers, spike rollers, epoxy rakes and most other floor application tools.

Code	Description	Size
700/1/034	WOOD - PLASTIC COATED	1,5 mm x 25 mm
700/1/036	METAL EXTENSION POLE- 1 PIECE	1,5 mm x 25 mm
700/1/038	METAL EXTENSION POLE - 2 PIECE	2.5 mm x 25 mm

EPOXY / URETHANE TROWELS & FLOATS

ROX® V - NOTCH TROWEL 15 MM X 15 MM



FEATURES

- High quality 1.2 mm stainless steel blade.
- 15 mm x 15 mm V-notch profile will pull 6mm of material.
- Wooden handle and aluminium shank.
- 9 internal rivets.
- 280 mm x 115 mm

USES

- For applying 6 mm urethane screeds by hand.
- Reduces wastage and provides a uniform thickness.
- Eliminates the need for screed bars.

Code	Description	Size	Materials
32/1/042	V-NOTCH	280 mm x 115 mm	Stainless

ROX® SCREED FLOAT - PVC



FEATURES

- Made from non-stick, non-marking PVC.
- Bevelled edges.

USES

- For the floating and smoothing of 6 - 9 mm epoxy and urethane hand applied screed mortars.
- Can be used to float and compact coloured aggregate screeds.

Code	Description	Size	Materials
32/4/010	SCREED FLOAT	280 mm x 115 mm	PVC

ROX® COVING STRIPS - ALUMINIUM



FEATURES

- 10 mm x 3 mm aluminium angle.
- Punched to allow for better adhesion.
- Applied to the wall with standard acrylic adhesive.

USES

- Installed on the wall at the required height to act as a finishing strip.
- For all epoxy or urethane screed coves.
- Can be applied on to concrete, plaster, Iso-panel or aluminium wall finishes.
- Eliminates the need to chop into plastered walls.

Code	Description	Size
700/1/101	COVING STRIPS - ALUMINIUM	2.5 ml
34/1/011	COVING STRIP ACRYLIC SEALANT	280 ml

ROX® COVING TROWEL - PVC



FEATURES

- Made from non-stick PVC to aid with application and smoothing of sticky screed mortars.

USES

- For the application of epoxy and urethane screed mortars.
- Used to form the radius or coved skirtings between the wall and floor junction.
- Can be used to form coloured aggregate coved skirtings.

Code	Description	Size	Materials
32/4/011	COVING TROWEL	300 mm x 100 mm	PVC

ROX® COVING TROWEL - STAINLESS STEEL



FEATURES

- Made from stainless steel to aid with application and smoothing of sticky screed mortars.

USES

- For the application of epoxy, urethane screed and MMA mortars.
- Used to form the radius or coved skirtings between the wall and floor junction.
- Can be used to form coloured aggregate coved skirtings.

Code	Description	Size	Materials
32/4/023	COVING TROWEL	300 mm x 100 mm	STAINLESS STEEL

ROX® CORNER COVING TROWEL - STAINLESS STEEL



FEATURES

- Made from stainless steel to aid with application and smoothing of sticky screed mortars.

USES

- For the application of epoxy, urethane screed and MMA mortars.
- Used to form the radius or coved skirtings between the wall and floor junction.
- Can be used to form coloured aggregate coved skirtings.

Code	Description	Size	Materials
32/4/022	CORNER COVING TROWEL	300 mm x 100 mm	STAINLESS STEEL

CARPET STRETCHERS & CARPET IRON

ROX® DELUXE CARPET STRETCHER (SWIVEL HEAD)



FEATURES

- Swivel head carpet stretcher.
- Variable pin depth settings on driving head.
- Folding tail block for stretching from walls, corners and skirtings.
- Extension tube adjustment up to 7 metres.
- Plastic carry case with wheels.
- Includes one power unit, tail block, four and a half extension tubes.
- Stretches to over 7 metres.

USES

- Used to install wall-to-wall or stretch carpet.
- Used to tension the carpet and remove wrinkles.

Code	Description
41/2/040	DELUXE CARPET STRETCHER (SWIVEL HEAD)

ROX® CARPET SEAMING IRON



FEATURES

- Contoured low profile design with insulated heat shield.
- 4 heat setting positions.
- Teflon non-stick coating for easy cleaning.
- 800 watt.
- Temperature range from 110 c - 240 c

USES

- For joining stretch carpet with ROX STIXX™ carpet seaming tape.
- Used to melt thermoplastic adhesive tape to carpet backing.

Code	Description	Power	Volatge
41/2/003	CARPET SEAMING IRON	800 w	230 v

ROX® DELUXE KNEE KICKER



FEATURES

- Deluxe premium quality adjustable knee kicker.
- Made from lightweight aluminium. n Adjustable from 430 mm to 530 mm.
- Easy to adjust pin depth.
- Extra thick 75 mm bumper.

USES

- For new carpet installations in small or confined spaces.
- For re-stretching existing carpets to remove wrinkles.

Code	Description	Size	Materials
41/2/035	DELUXE KNEE KICKER	430 - 530 mm	Aluminum
41/2/901	BASE PIN PLATE	16 teeth	Steel
41/2/902	GRIPPER INSERTS		Steel
41/2/903	RUBBER BUMPER	75 mm thick	Rubber

ROX® CARPET TACK STRIPS (CARPET GRIPPER)



FEATURES

- For domestic & light commercial use.
- Double row of grippers.
- Plywood strips of 1200 mm x 25 mm x 6.5 mm.
- Supplied with hardened steel nails for concrete or wood.
- Nails are 25 mm long.

USES

- Used to install stretch carpets.
- Can be used over concrete and wood floors.

Code	Description	Size
41/3/401	CARPET TACK STRIPS	1220 mm x 25 mm x 6.5 mm

ROX® STIXX™ - ST 35 CARPET SEAMING TAPE (HEAT BOND TAPE)



FEATURES

- General purpose quality heat bond tape.
- For domestic & light commercial use.
- 20 m long x 93 - 95 mm wide.
- Iron temperature setting 2.5 - 3.

USES

- For joining stretch carpet.

Code	Description	Size
41/3/302	CARPET SEAMING TAPE - STIXX™ - ST 35	20 lm

ROX® STAIR TOOL / CARPET BOLSTER



FEATURES

- Cushion handle for slip resistance.
- Flat tapered off-set blade.

USES

- Used to set carpets into tack strips and crease carpets along the wall.

Code	Description	Size
41/3/044	STAIR TOOL	75 mm

ROX® CURVED STAIR TOOL



FEATURES

- Cushion handle curved stair tool.
- Curved and tapered blade.

USES

- For use in small areas with limited space to set carpets into tack strips.
- Used to crease carpets along the wall.

Code	Description	Size
41/3/045	CURVED STAIR TOOL	75 mm

CARPETING HAND TOOLS

ROX® CARPET PULLER



FEATURES

- Manufactured from cast aluminium.
- Manufactured with round handles and serrated grips.

USES

- For the lifting of stick down carpet tiles.
- Improves productivity and efficiency.
- Increase pulling power.
- Most effective when used in sets of two.

Code	Description	Materials
41/2/010	CARPET PULLER	Aluminium

ROX® LOOP PILE CUTTER



FEATURES

- Made of stainless steel with cushion grip.
- Adjust to thickness of carpet being cut.
- Replacement rectangular carpet blades available.

USES

- Cuts most loop pile carpets regardless of thickness.
- Safer than utility knives to use.

Code	Description	Materials
41/3/013	LOOP PILE CUTTER	Stainless Steel

ROX® CUSHION LOCK CUTTER



FEATURES

- Made from stainless steel with cushion grip.
- Replacement rectangular carpet blades available.

USES

- Designed to cut and trim sponge backed carpets.

Code	Description	Materials
41/3/011	CUSHION LOCK CUTTER	Stainless Steel

ROX® CARPET SEAM ROLLER - SMOOTH



FEATURES

- Quality nylon wheel roller - heat resistant.
- Won't damage carpet or snag pile loops.
- 125 mm wide.

USES

- Smooth rollers designed to press-down loop pile carpets on to carpet seaming tape.
- Can also be used on vinyl sheeting, tiles and planks.

Code	Description	Size	Materials
41/3/038	CARPET SEAM ROLLER	125 mm	Nylon

ROX® CARPET SEAM ROLLER - SPIKED



FEATURES

- Quality aluminium wheel roller - heat resistant.
- 15 Aluminium spiked rollers.
- 125 mm.

USES

- Spiked rollers designed to press through loop pile carpets on to carpet seaming tape.
- Can be used when carpet tape needs to be reheated.
- Can be used with a Weldy HT 1600 welder heated from above.

Code	Description	Size	Materials
41/3/033	CARPET SEAM ROLLER	125 mm	Aluminium

ROX® VINYL ROLLER - 68 KG



FEATURES

- Heavy duty 68 kg - 3 piece steel roller.
- Zinc plated to resist rust.
- Built in transport wheels.

USES

- Used to roll out vinyl sheeting, LVT, LVP and Linoleum.
- Flattens and removes glue lines.
- Improves adhesion and final aesthetics.
- Can reduce small air bubbles under sheeting.

Code	Description	Weight	Materials
60/1/001	VINYL ROLLER	68 kg	Steel

ROX® VINYL SEAM ROLLER



FEATURES

- Solid heavy duty steel roller (polished).
- Runs on sealed multiple roller- bearings.
- Hardwood handle (50 mm).

USES

- To roll over seams on vinyl sheeting, LVT & LVP.
- Can also be used to roll over anti-slip flooring strips.
- Can be used for heat welding single ply membranes.

Code	Description	Size	Handle	Materials
60/3/030	HEAVY-DUTY SEAM ROLLER	50 mm	Wood	Steel

WELDY SILICONE ROLLER



FEATURES

- 36 mm hardwood handle.
- High temperature resistant silicone roller.

USES

- Used to apply pressure during the process of overlap welding of plastic, TPO, and PVC materials.

Code	Description	Size	Handle	Materials
60/3/074	SILICONE ROLLER	36 mm	Wood	Silicone

WELDY PTFE PRESSURE ROLLER



FEATURES

- PTFE pressure roller.
- 28 mm wooden handle.

USES

- Used to apply pressure during the overlap welding of plastics, TPO, and PVC materials.
- Best for welding "Hypalon" bandage and other bridging bandage for reservoirs.

Code	Description	Size	Handle	Materials
60/3/072	PTFE ROLLER	28 mm	Wood	PTFE

WELDY PLASTIC / VINYL WELDING TOOLS

WELDY HT 1600 - PLASTIC WELDING KIT



FEATURES

- Hot-air hand held welder with 1600 w carbon brush motor.
- Adjustable temperature up to 700 c.
- Supplied in a plastic carry case with a pencil tip reducer and 4 mm speed welding nozzle.
- Complete ready to work value package.

USES

- For welding PVC and vinyl floor joints.
- For welding plastic, PVC & joining pipes.
- For car bumper and plastic car part repairs.

Code	Description	Power	Voltage	Airflow	Weight
W120/883	PLASTIC WELDING KIT	1600 w	230 v	450 l/min	1 kg

WELDY HT 1600 - OVERLAP WELDING KIT



FEATURES

- Hot-air hand held welder with 1600 w carbon brush motor.
- Adjustable temperature up to 700 c.
- Supplied in a plastic carry case with a 20 mm & 40 mm wide nozzle and silicone pressure roller.
- Complete ready to work value package.

USES

- For welding PVC and TPO membranes.
- For welding industrial fabrics, tents and tarpaulins.
- For welding "Hypalon" bandage and similar expansion bridging bandage.

Code	Description	Power	Voltage	Airflow	Weight
W120/882	OVERLAP WELDING KIT	1600 w	230 v	450 l/min	1 kg

WELDY PIC - HOT AIR HEAT GUN



FEATURES

- Entry level plastic welder - 1600w n General purpose Hot-air heat gun.
- Adjustable temperature 300 - 500°C.
- Supplied in a plastic carry case with attachments.
- Complete ready to work value package .

USES

- For welding PVC and TPO membranes.
- For welding industrial fabrics, tents and tarpaulins.
- For stripping paint and glue.

Code	Description	Power	Voltage	Airflow	Weight
W122/561	HEAT GUN	1600 w	230 v	350 - 500	0.68 kg

WELDY HT 1600 - REPLACEMENT HEATING ELEMENT



FEATURES

- Replacement heating element for Weldy HT 1600.

USES

- Original replacement part.

Code	Description	Power	Voltage
W123/805	HT 1600 HEATING ELEMENT	1550 w	230 v

WELDY NOZZLES FOR PLASTIC WELDING

WELDY PENCIL TIP WELDING NOZZLE REDUCER



FEATURES

- Standard tubular reducer nozzle.
- Required to attach all standard welding nozzles.
- For Weldy HT 1600 welder.

USES

- To allow for the attachment of all welding nozzles on Weldy HT 1600 welders.

Code	Description	Materials
V125/220	PENCIL TIP REDUCER	Stainless Steel

WELDY WELDING NOZZLE - 4 MM



FEATURES

- Weldy 4 mm round speed welding nozzle.
- Stainless steel construction.
- Uses 3 to 4 mm round welding rods.

USES

- Used to weld vinyl sheeting together.
- Used to weld vinyl coving.

Code	Description	Size	Materials
W146/740	WELDING NOZZLE	4 mm	Stainless Steel

WELDY WELDING NOZZLE - 5 MM



FEATURES

- Weldy 5 mm round speed welding nozzle.
- Stainless steel construction.
- Uses 4 to 5 mm welding rods.

USES

- Used to apply pressure during the overlap welding of plastics, TPO, and PVC materials.

Code	Description	Size	Materials
W125/315	WELDING NOZZLE	5 mm	Stainless Steel

WELDY WELDING NOZZLE - 7 MM



FEATURES

- Weldy 7 mm triangular speed welding nozzle.
- Stainless steel construction.
- Use 5 to 7 mm triangular welding rods.

USES

- Used to weld vinyl sheeting together.
- Used to weld vinyl coving.

Code	Description	Size	Materials
W127/833	WELDING NOZZLE	7 mm	Stainless Steel

TRIMMERS & KNIVES

ROX® WELD TRIMMING KNIFE



FEATURES

- Most up to date tool for trimming vinyl seam welds.
- Designed to prevent cutting or gouging of the actual vinyl sheeting.
- Easy to use with built-in replaceable spacer and blade.

USES

- For trimming seam welds between vinyl sheets.
- For trimming welded seams of thermoplastic materials.
- For first and second pass trimming.
- Replaceable blades and spacers available.

Code	Description
60/3/022	WELD TRIMMING KNIFE
60/3/023	WELD TRIMMING KNIFE SPACER
60/3/024	WELD TRIMMING KNIFE BLADE

ROX® P-TYPE GROOVER



FEATURES

- Stainless steel shaft with non-slip handle.
- Replaceable blades made of spring steel.
- Blade storage inside handle.

USES

- Used to create a U-Shaped groove between sheets of vinyl prior to welding.

Code	Description
60/3/010	P-TYPE GROOVER
60/3/011	P-TYPE GROOVER REPLACEMENT BLADE

ROX® WELD TRIMMER / ROUTER



FEATURES

- High quality steel trimming tool.
- Replaceable blades made of spring steel.

USES

- Essential for every soft flooring contractor.
- For trimming welds along skirtings, covings & stairs.

Code	Description
60/3/014	WELD TRIMMER
60/3/015	WELD TRIMMER REPLACEMENT BLADE

ROX® QUARTER MOON WELD TRIMMING KNIFE



FEATURES

- Flat stainless steel blade used with a vinyl weld trimming guide.
- Used for one pass trimming of welded vinyl seams on vinyl sheeting.

USES

- For the trimming of seam welds between vinyl sheets.
- For trimming welded seams of thermoplastic materials.
- To be used with a vinyl trimming guide.

Code	Description	Handle	Materials
60/3/001	QUARTER MOON KNIFE	TPE	Stainless Steel

ROX® VINYL TRIMMING GUIDE



FEATURES

- Used with a Quarter Moon knife to trim vinyl seam welds.
- Used for one pass trimming of vinyl welds.

USES

- For the trimming of seam welds between vinyl sheets.
- For use with a Quarter Moon knife.

Code	Description
60/3/020	VINYL TRIMMING GUIDE

SCISSORS

ROX® DUCKBILL NAPPING SHEARS



FEATURES

- High carbon steel blade with offset handle.
- 175 mm long with rubber coated handles.

USES

- Ideal for trimming off loose carpet fibres and imperfections.
- The offset handle prevents accidental gouging.

Code	Description	Size	Materials
41/3/048	NAPPING SHEARS	175 mm	Carbon Steel

CARPET SCISSORS



FEATURES

- 300 mm heavy duty drop forged stainless steel.
- Professional quality, long lasting.
- Can be re-sharpened.
- Lifetime guarantee.

USES

- Ideal for cutting carpet and heavy duty fabric.

Code	Description	Size	Materials
41/3/052	CARPET SCISSORS	300 mm	Stainless Steel

ROX® CARPET SCISSORS



FEATURES

- 300 mm heavy duty drop forged stainless steel.
- Contractor quality, value for money option.
- Can be re-sharpened.

USES

- Ideal for cutting carpet and heavy duty fabric.

Code	Description	Size	Materials
41/3/053	CARPET SCISSORS	300 mm	Stainless Steel

ROX® TACK / MOULDING LIFTER



FEATURES

- High carbon drop forged steel.
- Light weight and easy to handle.

USES

- For the removal of mouldings, skirtings, carpet grippers and tack strips.

Code	Description	Size	Materials
41/3/040	TACK LIFTER	270 mm	Carbon Steel

UTILITY KNIVES

ROX® PRO CARPET KNIFE



FEATURES

- High quality folding carpet knife.
- Manufactured from stainless steel.
- Can be re-sharpened when required.

USES

- For the professional installer.
- For cutting and trimming carpets.

Code	Description	Materials
40/0/004	PRO CARPET KNIFE	Stainless Steel

ROX® DOLPHIN KNIFE



FEATURES

- Fixed blade utility knife with easy to open wheel.
- Supplied with PVC pouch for safety purposes.

USES

- Used to cut and trim carpet & vinyl.
- 1st Choice for flooring contractors.

Code	Description	Materials
40/0/016	DOLPHIN KNIFE	Cast Zinc

ROX® UTILITY KNIFE - FIXED BLADE



FEATURES

- Fixed blade utility knife with easy to open wheel.
- Added safety - locking wheel locks the blade in position.
- High quality cast zinc.
- Magnetic blade.

USES

- Used to cut and trim carpet & vinyl.
- For roofing, drywalling, cardboard, plastic.
- General purpose utility cutting.

Code	Description	Materials
40/0/020	UTILITY KNIFE - FIXED BLADE	Cast Zinc

ROX® UTILITY KNIFE - RETRACTABLE BLADE



FEATURES

- Retractable blade utility knife with easy to open wheel.
- Added safety - locking wheel, locks the blade in position when in use.
- High quality cast zinc.
- Magnetic blade.

USES

- Used to cut and trim carpet & vinyl.
- For roofing, drywalling, cardboard, plastic .etc.
- General purpose utility cutting.

Code	Description	Size	Materials
40/0/021	UTILITY KNIFE - RETRACTABLE BLADE	270 mm	Carbon Steel

ROX® CARPET KNIFE



FEATURES

- Fixed blade carpet knife with easy to open push button.
- Only uses carpet blades.
- Spare blades sold in varying pack sizes.

USES

- Designed specifically for cutting carpets.

Code	Description	Materials
40/0/015	CARPET KNIFE	Cast Zinc
40/1/121	RECTANGULAR CARPET BLADE	Carbon Steel

ROX® UTILITY BLADE - STRAIGHT



FEATURES

- Heavy-duty SK5 carbon steel blades.
- For use with most standard utility knives.
- Double slots for added safety.
- Pack of 10 in plastic tube for better control & less wastage.

USES

- Designed for cutting carpets, vinyl, linoleum.
- For roofing, drywalling, cardboard, plastic, etc.

Code	Description	Materials	Unit	Packaging
40/1/101	UTILITY BLADE	Carbon Steel SK5	10	Blister Pack
40/1/103	UTILITY BLADE	Carbon Steel SK5	10	Plastic Box

ROX® HOOK BLADE



FEATURES

- Heavy-duty carbon steel blades.
- For use on most standard utility knives.
- Double slots for added safety.
- Pack of 10 in plastic tube.

USES

- Designed for cutting carpets, vinyl, linoleum.
- For roofing membranes and waterproofing etc.

Code	Description	Materials	Unit	Packaging
440/1/111	HOOK BLADE	Carbon Steel	10	Plastic Tube

ROX® RECTANGULAR CARPET BLADES



FEATURES

- Fits ROX Carpet Knife.
- Heavy duty carbon steel blades.
- For use on most carpet knives.
- Pack of 10 in plastic tube.

USES

- Designed for cutting carpets.

Code	Description	Materials	Unit	Packaging
40/1/121	CARPET BLADE	Carbon Steel	10	Plastic Tube

SCRAPERS

ROX® FLOOR SCRAPER



FEATURES

- 12" (300 mm) heavy-duty floor scraper.
- Manufactured with high carbon steel and powder coated.
- Replacement blades available.

USES

- For the removal of vinyl tiles & carpet tiles.
- For removing laminate floors & parquet.
- For removing vinyl sheeting, LVP's & LVT's.

Code	Description	Size	Materials
41/1/010	FLOOR SCRAPER	100 mm	Steel
41/1/901	REPLACEMENT BLADE HEAVY DUTY	300 mm	Stainless Steel
41/1/902	REPLACEMENT BLADE MEDIUM DUTY	300 mm	Steel

ROX® WALL & FLOOR SCRAPER



FEATURES

- 4" (100 mm) heavy-duty wall & floor scraper.
- Rubberised handle grip.
- Replacement hardened steel blades available.

USES

- For the removal of adhesives & glues.
- For removing vinyl tiles & carpet tiles.
- For removing wall paper & paint.

Code	Description	Size	Materials
41/1/015	WALL & FLOOR SCRAPER	100 mm	Steel
41/1/903	REPLACEMENT BLADE	100 mm	Spring Steel



ROX®

DO IT RIGHT™



HAND TOOLS

FINISHING TROWELS

ROX® FINISHING TROWELS - CONTRACTOR RANGE



FEATURES

- High carbon steel blade, hardened & tempered.
- Hardwood handle & aluminium shank.
- 5 or 9 internal rivets

USES

- For concrete & plaster finishing.

Code	Description	Size	Rivets	Handle	Materials
32/1/017	FINISHING TROWEL	280 x 115 mm	5	Wood	Carbon Steel
32/1/018	FINISHING TROWEL	280 x 115 mm	9	Wood	Carbon Steel
32/1/020	FINISHING TROWEL	350 x 115 mm	9	Wood	Carbon Steel
32/1/022	FINISHING TROWEL	400 x 115 mm	9	Wood	Carbon Steel
32/1/024	FINISHING TROWEL	450 x 115 mm	9	Wood	Carbon Steel

ROX® FINISHING TROWELS - CONTRACTOR RANGE



FEATURES

- All plastic construction.
- Non-marking blade.

USES

- For wall plastering & finishing.
- For skimming, smoothing & trowelling.

Code	Description	Size	Handle	Materials
32/4/021	FINISHING TROWEL	280 x 140 mm	Plastic	Plastic

ROX® FINISHING TROWEL - ECO RANGE



FEATURES

- Cold rolled steel.
- Contoured plastic handle.

USES

- For finishing concrete & plaster.

Code	Description	Size	Handle	Materials
32/3/001	FINISHING TROWEL	225 x 100 mm	Plastic	Steel

FINISHING TROWELS

ROX® FINISHING TROWELS - CONTRACTOR RANGE



FEATURES

- Stainless steel blade, non-marking.
- Soft grip handle & aluminium shank.
- 9 internal rivets.

USES

- For concrete & plaster finishing.

Code	Description	Size	Handle	Materials
32/2/018	FINISHING TROWEL	290 x 115 mm	TPE	Stainless Steel
32/2/020	FINISHING TROWEL	350 x 115 mm	TPE	Stainless Steel
32/2/022	FINISHING TROWEL	400 x 115 mm	TPE	Stainless Steel
32/2/024	FINISHING TROWEL	450 x 115 mm	TPE	Stainless Steel

ROX® MIDGET FINISHING TROWELS - CONTRACTOR RANGE



FEATURES

- Stainless steel blade with “pre-ground” edges, non-marking.
- Soft grip handle & aluminium shank.
- 6 or 9 internal rivets depending on size.

USES

- For concrete & plaster finishing.
- Ready to use, broken in edges.
- For small, tight & difficult to access areas.

Code	Description	Size	Handle	Materials
32/2/016	MIDGET TROWEL	200 x 80 mm	TPE	Stainless Steel
32/2/017	MIDGET TROWEL	250 x 120 mm	TPE	Stainless Steel



POOL & FLOORING TROWELS

ROX® POOL TROWELS - CONTRACTOR RANGE



FEATURES

- Stainless steel blade, non-marking.
- Soft grip handle with aluminium shank.
- Short shank for more flexibility.
- 6 or 9 internal rivets depending on size.

USES

- For concrete & plaster finishing.
- For finishing gunite pool surfaces with "no-burn" marks.

Code	Description	Size	Handle	Materials
32/2/051	POOL TROWEL	290 x 115 mm	TPE	Stainless Steel
32/2/053	POOL TROWEL	350 x 115 mm	TPE	Stainless Steel

ROX® POOL TROWELS - CONTRACTOR RANGE



FEATURES

- High carbon steel blade, hardened & tempered.
- Hardwood handle & aluminium shank.
- Short shank for more flexibility.
- 6 or 9 internal rivets depending on size.

USES

- For concrete & plaster finishing.
- Round edges prevent gouging and trowel lines.
- For finishing pool surfaces.

Code	Description	Size	Handle	Materials
32/1/103	POOL TROWEL	290 x 115 mm	Wood	Carbon Steel
32/1/107	POOL TROWEL	400 x 115 mm	Wood	Carbon Steel

ROX® FLOORING TROWEL - CONTRACTOR RANGE



FEATURES

- Stainless steel blade, non-marking.
- Purpose designed tapered blade.
- Soft grip handle with aluminium shank.
- 9 internal rivets.

USES

- For cement & concrete floor finishing.
- Long reach design to reach under overhangs.
- Pointed tip for easier corner finishing detail.

Code	Description	Size	Handle	Materials
32/1/133	FLOORING TROWEL	450 x 90 mm	TPE	Stainless Steel

ROX® ADHESIVE TROWELS - CONTRACTOR RANGE



FEATURES

- High carbon steel blade, hardened & tempered.
- V-notch & square-notch profiles.
- Wooden handle & aluminium shank.
- 5 internal rivets.
- Size - 280 mm x 115 mm.

USES

- For applying adhesive & mastic to vinyl sheeting, LVT & LVP
- For applying adhesive & mastic to backed & unbacked carpet tiles & artificial grass.

Code	Description	Size	Handle	Materials
32/1/001	ADHESIVE TROWEL- A1 SPEC	1.1 x 1.5 x 0.5 mm	Wood	Carbon Steel
32/1/002	ADHESIVE TROWEL- A2 SPEC	1.4 x 1.7 x 1.3 mm	Wood	Carbon Steel
32/1/006	ADHESIVE TROWEL- B1 SPEC	2.0 x 2.4 x 2.6 mm	Wood	Carbon Steel
32/1/011	ADHESIVE TROWEL - VINYL	1.6 x 1.6 mm	Wood	Carbon Steel
32/1/014	ADHESIVE TROWEL - CARPET	3.0 x 3.0 mm	Wood	Carbon Steel

ROX® ADHESIVE TROWELS - ECO RANGE



FEATURES

- Cold rolled steel blade.
- V-notch & square-notch profiles.
- Contoured plastic Handle.
- Size - 225 mm x 100 mm.

USES

- For applying adhesive & mastic to vinyl sheeting, LVT & LVP
- For applying adhesive & mastic to backed carpet tiles.

Code	Description	Size	Handle	Materials
32/1/012	ADHESIVE TROWEL - VINYL	1.6 x 1.6 mm	Plastic	Steel
32/1/013	ADHESIVE TROWEL - CARPET	2.4 x 2.4 mm	Plastic	Steel

ROX® TILING TROWELS - CONTRACTOR RANGE



FEATURES

- High carbon steel blade, hardened & tempered.
- All profiles square notch.
- Wooden handle & aluminium shank.
- 5 internal rivets.
- Size - 280 mm x 115 mm.

USES

- For applying tile adhesive to wall & floor tiles.
- 3 x 3 x 3mm - for mosaic tiles.
- 4 x 4 x 4 mm - for wall tiles 150 mm x 150 mm.
- 6 x 6 x 6 mm - for wall tiles 200 mm x 200 mm.
- 8 x 8 x 8 mm - for wall tiles 250 mm x 250 mm.
- 10 x 10 x 10 mm - for floor tiles 300 x 300 mm plus.
- 12 x 12 x 12 mm - for floor tiles 400 x 400 mm plus / natural stone & quarry tiles.
- 22 x 17 x 8mm - for large format tiles 600 x 600 mm plus.

Code	Description	Size	Handle	Materials
32/1/051	TILING TROWEL - MOSIAC	3 x 3 x 3 mm	Wood	Carbon Steel
32/1/052	TILING TROWEL - WALL	4 x 4 x 4 mm	Wood	Carbon Steel
32/1/053	TILING TROWEL - WALL	6 x 6 x 6 mm	Wood	Carbon Steel
32/1/054	TILING TROWEL - WALL	8 x 8 x 8 mm	Wood	Carbon Steel
32/1/055	TILING TROWEL - FLOOR	10 x 10 x 10 mm	Wood	Carbon Steel
32/1/056	TILING TROWEL - FLOOR	12 x 12 x 12 mm	Wood	Carbon Steel
32/1/058	TILING TROWEL - FLOOR	22 x 17 x 8 mm	Wood	Carbon Steel

ROX® TILING TROWELS - ECO RANGE



FEATURES

- Cold rolled steel blade.
- Contoured plastic Handle.
- Size - 225 mm x 100 mm

USES

- For applying tile adhesive to wall & floor tiles.
- 3 x 3 x 3mm - for mosaic tiles.
- 6 x 6 x 6 mm - for wall tiles 200 mm x 200 mm.
- 8 x 8 x 8 mm - for wall tiles 250 mm x 250 mm.
- 10 x 10 x 10 mm - for floor tiles 300 x 300 mm plus.
- 12 x 12 x 12 mm - for floor tiles 400 x 400 mm plus / natural stone & quarry tiles.
- 22 x 17 x 8mm - for large format tiles 600 x 600 mm plus.

Code	Description	Size	Handle	Materials
33/3/029	TILING TROWEL - MOSIAC	3 x 3 x 3 mm	Plastic	Steel
33/3/033	TILING TROWEL - WALL	6 x 6 x 6 mm	Plastic	Steel
33/3/036	TILING TROWEL - WALL	8 x 8 x 8 mm	Plastic	Steel
33/3/039	TILING TROWEL - FLOOR	10 x 10 x 10 mm	Plastic	Steel
33/3/042	TILING TROWEL - FLOOR	12 x 12 x 12 mm	Plastic	Steel
33/3/044	TILING TROWEL - FLOOR	22 x 17 x 8 mm	Plastic	Stainless Steel





- High carbon steel blade, hardened & tempered.
- Curved blade for applying gypsum or plaster over drywall joints.
- Soft grip handle & aluminium shank.
- 9 internal rivets.

- To feather & taper drywall joints
- To apply slightly rounded gypsum base coats over joints before applying drywall tape.

Code	Description	Size	Handle	Materials
32/1/111	DRYWALL TROWEL	300 X 115 mm	TPE	Carbon Steel



- Professional premium quality stainless steel blade.
- Tempered stainless steel blade for more flexibility, non-marking.
- Heavy-duty aluminium backing plate and soft grip handle.

- For spreading joint compound or gypsum on dry walling.
- Used to bed and cover drywall tape and seams.
- Used to close screw indents and holes.

Code	Description	Size	Handle	Materials
33/1/303	DRYWALL TAPING KNIFE	200 mm	TPE	Stainless
33/1/304	DRYWALL TAPING KNIFE	250 mm	TPE	Stainless
33/1/305	DRYWALL TAPING KNIFE	300 mm	TPE	Stainless



- Professional premium quality stainless steel blade.
- Tempered stainless steel blade for more flexibility, non-marking.
- Heavy-duty aluminium backing plate & soft grip handle.

- Used for finishing walls and ceilings.
- Used to smooth and finish plaster, stucco, rhinolite or gypsum.
- Used with fillers, putties and sprayed finishes.

Code	Description	Size	Handle	Materials
33/1/323	FINISHING SPATULA	400 mm	TPE	Stainless
33/1/324	FINISHING SPATULA	500 mm	TPE	Stainless
33/1/325	FINISHING SPATULA	600 mm	TPE	Stainless



- Inside corner trowel.
- Stainless steel blade, non-marking.
- Soft grip handle.

- To smooth & finish inside dry wall corners.

Code	Description	Size	Handle	Materials
33/1/340	CORNER TROWEL - IN	125 x 100 mm	TPE	Stainless



- Outside corner trowel.
- Stainless steel blade, non-marking.
- Soft grip handle.

- To smooth & finish outside drywall corners.

Code	Description	Size	Handle	Materials
33/1/341	CORNER TROWEL - OUT	125 x 100 mm	TPE	Stainless

TILING & PLASTERING FLOATS

ROX® FOAM GROUT FLOAT - ECO RANGE



FEATURES

- Foam rubber pad.
- Contoured plastic handle.
- Aluminium backing plate.

USES

- For applying tile grout.
- Best suited for wall grouting.

Code	Description	Size	Handle	Materials
32/4/107	GROUT FLOAT	225 x 100 mm	Plastic	Foam Rubber

ROX® GUM RUBBER GROUT FLOAT - CONTRACTORS RANGE



FEATURES

- Non-stick gum rubber.
- Moulded rubber float.
- Contoured plastic handle.
- Aluminium backing plate.

USES

- For applying tile grout.
- Better suited for floor grouting.
- For floating plaster & stucco.

Code	Description	Size	Handle	Materials
32/4/103	GROUT FLOAT	240 x 100 mm	Plastic	Gum Rubber

ROX® NON-MARKING GROUT FLOAT - CONTRACTORS RANGE



FEATURES

- Non-marking, non-stick face.
- Pure white gum rubber face.
- 2 rounded corners & 2 square corners.
- Contoured plastic handle.
- Aluminium backing plate

USES

- For applying tile grout.
- Designed for marble, granite, travertine, porcelain & light coloured material.

Code	Description	Size	Handle	Materials
32/4/105	GROUT FLOAT	240 x 100 mm	Plastic	Gum Rubber

ROX® EPOXY GROUT FLOAT - CONTRACTORS RANGE



FEATURES

- Epoxy resistant green rubber grout float.
- 2 rounded corners & 2 square corners.
- Contoured plastic handle.
- Aluminium backing plate.

USES

- Used to apply epoxy grout.
- Makes grout clean-up easier after installation.

Code	Description	Size	Handle	Materials
32/4/109	GROUT FLOAT	240 x 100 mm	Plastic	Green Rubber

ROX® PLASTER FLOAT - CONTRACTOR RANGE



FEATURES

- Plaster float - coarse or smooth.
- Natural sponge rubber.
- Contoured plastic handle.
- Aluminium backing plate.

USES

- For texture finishes on concrete, plaster & stucco.
- For floating gypsum plaster & skim plaster.

Code	Description	Size	Handle	Materials
32/4/121	PLASTER FLOAT - FINE	225 x 100 mm	Plastic	Sponge Rubber
32/4/122	PLASTER FLOAT - COARSE	225 x 100 mm	Plastic	Sponge Rubber

ROX® BRICK TROWEL - PROFESSIONAL RANGE



FEATURES

- London Narrow Pattern.
- High carbon steel blade, hardened & tempered.
- **1 Piece solid forged, not welded.**
- Handle & blade forged in 1 piece.
- Handle with hammer end.

USES

- Best for applying clay & cement stock bricks.
- Best for masonry work and repairs.
- For professional contractors & brick layers.

Code	Description	Size	Handle	Materials
32/7/210	BRICK TROWEL	280 mm (11")	Red Beech	Carbon Steel

ROX® BRICK TROWEL - PROFESSIONAL RANGE



FEATURES

- London Narrow Pattern.
- Rust resistant stainless steel blade.
- Stainless steel welded shank.
- Handle with hammer end.

USES

- Best for applying clay & cement stock bricks.
- Best for masonry work and repairs.

Code	Description	Size	Handle	Materials
32/7/212	BRICK TROWEL	280 mm (11")	TPE	Stainless

ROX® BRICK TROWELS - CONTRACTOR RANGE



FEATURES

- London Narrow Pattern.
- High carbon steel blade, hardened & tempered.
- Welded shank Handle with hammer end.

USES

- Best for laying clay & cement stock bricks.
- Best for masonry work and repairs.

Code	Description	Size	Handle	Materials
32/7/207	BRICK TROWEL	250 mm (10")	TPE	Carbon Steel
32/7/208	BRICK TROWEL	280 mm (11")	TPE	Carbon Steel

ROX® BRICK TROWEL - CONTRACTOR RANGE



FEATURES

- Philadelphia Pattern.
- High carbon steel blade, hardened & tempered.
- Welded shank.
- Handle with hammer end.

USES

- Best for cement blocks and stone.

Code	Description	Size	Handle	Materials
32/7/218	BRICK TROWEL	250 mm (10")	TPE	Carbon Steel

BUILDING TROWELS

ROX® TILING TROWEL - CONTRACTOR RANGE



FEATURES

- High carbon steel blade, hardened & tempered.
- Welded shank.
- Soft grip handle

USES

- For back buttering of stone & tiles.

Code	Description	Size	Handle	Materials
32/7/036	TILING TROWEL	180 mm (7")	TPE	Carbon Steel

ROX® GAUGING TROWEL - CONTRACTOR RANGE



FEATURES

- High carbon steel blade, hardened & tempered.
- Welded shank.
- Soft grip handle.

USES

- For general masonry work.

Code	Description	Size	Handle	Materials
32/7/010	GAUGING TROWEL	180 mm (7")	TPE	Carbon Steel

ROX® BUCKET TROWEL - CONTRACTOR RANGE



FEATURES

- High carbon steel blade, hardened & tempered.
- Welded shank.
- Handle with hammer end.

USES

- For general masonry work.

Code	Description	Size	Handle	Materials
32/7/018	BUCKET TROWEL	200 mm (8")	TPE	Carbon Steel

ROX® POINTING TROWEL - CONTRACTOR RANGE



FEATURES

- High carbon steel blade, hardened & tempered.
- Welded shank.
- Soft grip handle.

USES

- For general masonry work.

Code	Description	Size	Handle	Materials
32/7/026	POINTING TROWEL	150 mm (6")	TPE	Carbon Steel

ROX® SMALL TOOL - CONTRACTOR RANGE



FEATURES

- High quality stainless steel blades.
- Precision conical ground blades.
- Plastic handle.

USES

- Small tool for precise plastering jobs.
- Pointed oval & square blades for smoothing, finishing, repairs & filling jobs.

Code	Description	Size	Handle	Materials
33/1/380	SMALL TOOL	252 mm	26 mm	Stainless

PUTTY KNIVES & SCRAPERS

ROX® PUTTY KNIVES - PROFESSIONAL RANGE



FEATURES

- Ultra-flex stainless steel blade.
- Taper ground blade.
- Soft grip handle.

USES

- For drywall patching & finishing.
- For plaster & concrete patching.
- Ultra-flex for skimming before painting.

Code	Description	Size	Handle	Materials
33/1/002	PUTTY KNIFE	30 mm	TPE	Stainless
33/1/003	PUTTY KNIFE	38 mm	TPE	Stainless
33/1/004	PUTTY KNIFE	50 mm	TPE	Stainless
33/1/005	PUTTY KNIFE	75 mm	TPE	Stainless
33/1/006	PUTTY KNIFE	100 mm	TPE	Stainless
33/1/007	PUTTY KNIFE	125 mm	TPE	Stainless
33/1/008	PUTTY KNIFE	150 mm	TPE	Stainless
33/1/013	PAINTERS TOOL 6 IN 1	75 mm	TPE	Stainless

ROX® ROSEWOOD SCRAPERS - PROFESSIONAL RANGE



FEATURES

- Mid-flex stainless steel blade.
- Taper ground blade.
- Rosewood handle with stainless steel rivets.
- Stainless steel bolster, with full tang.

USES

- For the professional contractor.
- Quality build - built to last.
- General purpose utility scraper.

Code	Description	Size	Handle	Materials
33/1/041	ROSEWOOD SCRAPER	38 mm	Rosewood	Stainless
33/1/042	ROSEWOOD SCRAPER	50 mm	Rosewood	Stainless
33/1/043	ROSEWOOD SCRAPER	75 mm	Rosewood	Stainless
33/1/044	ROSEWOOD SCRAPER	100 mm	Rosewood	Stainless

ROX® UTILITY SCRAPERS - CONTRACTORS RANGE



FEATURES

- Mid-flex carbon steel blade.
- Taper ground blade.
- Soft grip handle.

USES

- General purpose utility scraper.
- For scraping paint & opening cracks.
- For patching and general repairs.

Code	Description	Size	Handle	Materials
33/2/009	UTILITY SCRAPER	30 mm	TPE	Carbon Steel
33/2/010	UTILITY SCRAPER	38 mm	TPE	Carbon Steel
33/2/011	UTILITY SCRAPER	50 mm	TPE	Carbon Steel
33/2/012	UTILITY SCRAPER	75 mm	TPE	Carbon Steel
33/2/013	UTILITY SCRAPER	100 mm	TPE	Carbon Steel
33/2/014	UTILITY SCRAPER	125 mm	TPE	Carbon Steel
33/2/015	UTILITY SCRAPER	150 mm	TPE	Carbon Steel
33/2/019	PAINTERS TOOL 5 IN 1	60 mm	TPE	Carbon Steel

HAMMERS

ROX® CLAW HAMMER - 1 PIECE



FEATURES

- One piece drop forged claw hammer.
- High carbon steel, heat treated.
- 450 gms.

USES

- For general purpose carpentry.

Code	Description	Weight	Materials
40/1/036	CLAW HAMMER	450 gms	All Steel

ROX® BRICK HAMMER - 1 PIECE



FEATURES

- One piece drop forged brick hammer.
- High carbon steel, heat treated.
- 680 gms

USES

- For building and brick work.

Code	Description	Weight	Materials
40/1/033	BRICK HAMMER	680 gms	All Steel

ROX® ROOFING HAMMER - 1 PIECE



FEATURES

- One piece drop forged roofing hammer.
- High carbon steel, heat treated.
- 600 gms

USES

- For general purpose roofing contractors.

Code	Description	Weight	Materials
40/1/030	ROOFING HAMMER	600 gms	All Steel

ROX® CHIPPING HAMMER (SCUTCH)



FEATURES

- Fibreglass handle with forged chipping hammer head.
- 600 gms

USES

- Used to prepare wall & floor surfaces before plastering, tiling, coating or screeding.
- Used to chip off unwanted materials from various surfaces.
- Replaceable chipping combs available.

Code	Description	Weight	Materials
40/1/011	CHIPPING HAMMER	800 gms	Fibreglass
40/1/901	CHIPPING COMBS - BOX OF 100		

ROX® PIECE MALLET - WHITE RUBBER



FEATURES

- White rubber mallet - non marking.
- 450 gms.

USES

- For placing colour sensitive tiles and stone.
- For laying porcelain tiles.

Code	Description	Weight	Materials
40/1/024	MALLET - WHITE	450 gms	Rubber

ROX® MALLET - BLACK RUBBER



FEATURES

- Black rubber mallet.
- 450 gms.

USES

- For placing ceramic tiles.

Code	Description	Weight	Materials
40/1/021	MALLET - BLACK	450 gms	Rubber

ALUMINIUM CAULKING GUNS

ROX® CAULKING / JOINT GUNS - HEAVY-DUTY



FEATURES

- Heavy-duty caulking guns with aluminium barrel, handles and end caps.
- Thrust ratio of 18:1 for heavy materials.
- Can be used to fill the gun with a follower plate.
- Supplied with one standard nozzle.
- Threaded nozzle holders & threaded nozzles available up to 40 mm.
- Push Force - 4000N

USES

- For the application of silicone, polyurethane and polysulphide sealants.

Code	Description	Litre Capacity	Materials
39/3/033	CAULKING GUN - HEAVY	600 ml	Aluminium
39/3/910	NOZZLE HOLDER THREADED		Plastic
39/3/941	END CAP		Aluminium
39/3/921	THREADED NOZZLES		Plastic

ROX® CAULKING / JOINT GUNS - ULTRA HEAVY-DUTY



FEATURES

- Non-Drip Technology.
- Ultra heavy-duty caulking guns with aluminium barrel, handles and end caps.
- Thrust ratio of 18:1 for heavy materials.
- Can be used to fill the gun with a follower plate.
- Supplied with one standard nozzle.
- Threaded nozzle holders & threaded nozzles available up to 40 mm.
- Push Force - 4000N

USES

- For the application of silicone, polyurethane and polysulphide sealants.

Code	Description	Litre Capacity	Materials
39/3/036	CAULKING GUN - ULTRA HEAVY	600 ml	Aluminium
39/3/910	NOZZLE HOLDER THREADED		Plastic
39/3/941	END CAP		Aluminium
39/3/921	THREADED NOZZLES		Plastic

ROX® CAULKING / JOINT GUNS - LIGHT-DUTY



FEATURES

- Light-duty aluminium caulking guns for cartridges and sausages.
- Aluminium end caps.
- Supplied with one standard nozzle.
- Thrust ratio 12:1.
- Push Force - 2000N

USES

- For the application of silicone, polyurethane and polysulphide sealants.
- Only suitable for soft materials.

Code	Description	Litre Capacity	Materials
39/3/010	CAULKING GUN - LIGHT	300 ml	Aluminium
39/3/011	CAULKING GUN - LIGHT	600 ml	Aluminium

ROX® CAULKING / JOINT GUNS - HEAVY-DUTY

FEATURES

- Heavy-duty, all metal open type caulking gun.
- Thrust ratio of 18:1 for heavy materials.
- For use with up to 900 ml cartridge.
- Push Force - 4000N

USES

- For the application of silicone, polyurethane and polysulphide sealants.

Code	Description	Litre Capacity	Materials
39/3/037	CAULKING GUN - HEAVY DUTY	900 ml	Steel

NO PIC

ROX®

DO IT RIGHT™



PAINTING TOOLS

PAINT ROLLERS

WALLS & CEILINGS (ROUGH & TEXTURED) - PROFESSIONAL RANGE



FEATURES

- Professional quality long pile fabric.
- For use on concrete, plaster, bricks, blocks & paving.

USES

- For use on rough & textured surfaces.
- Interior & exterior use.

Code	Description	Units
70/1/013	WALLS & CEILINGS (ROUGH & TEXTURED)	230 mm

WALLS & CEILINGS (ROUGH & TEXTURED) - CONTRACTOR RANGE



FEATURES

- Contractor quality long pile fabric.
- For use on concrete, plaster, bricks & blocks.

USES

- For use on rough & textured surfaces.
- Interior & exterior use.

Code	Description	Units
70/1/023	WALLS & CEILINGS (ROUGH & TEXTURED)	230 mm

WALLS & CEILINGS (ROUGH & TEXTURED) - DIY RANGE



FEATURES

- D.I.Y. quality long pile fabric.
- For use on concrete, plaster, bricks, blocks & paving.

USES

- For use on rough & textured surfaces.
- Interior & exterior use.

Code	Description	Units
70/1/033	WALLS & CEILINGS (ROUGH & TEXTURED)	230 mm

EXTERIOR TEXTURED PAINTS - CONTRACTOR RANGE



FEATURES

- D.I.Y. quality long pile fabric.
- For use on concrete, plaster, bricks & blocks

USES

- For use on rough & textured surfaces.
- For use with textured & sand filled acrylic paints.
- Interior & exterior use.

Code	Description	Units
70/1/047	EXTERIOR TEXTURED PAINTS	230 mm

PAINT ROLLERS

WALLS & CEILINGS (SMOOTH & SEMI-SMOOTH) - PROFESSIONAL RANGE



FEATURES

- Professional quality medium pile fabric.
- For use on concrete, plaster, gypsum & drywall.

USES

- For use on smooth to medium textured surfaces.
- Interior & exterior use.

Code	Description	Units
70/1/017	WALLS & CEILINGS	230 mm

WALLS & CEILINGS (SMOOTH & SEMI-SMOOTH) - CONTRACTOR RANGE



FEATURES

- Contractor quality medium pile fabric.
- For use on concrete, plaster, gypsum & drywall.

USES

- For use on smooth to medium textured surfaces.
- Interior & exterior use.

Code	Description	Units
70/1/027	WALLS & CEILINGS	230 mm

WALLS & CEILINGS (SMOOTH & SEMI-SMOOTH) - DIY RANGE



FEATURES

- D.I.Y. quality medium pile fabric.
- For use on concrete, plaster, gypsum & drywall.

USES

- For use on smooth to medium textured surfaces.
- Interior & exterior use.

Code	Description	Units
70/1/037	WALLS & CEILINGS	230 mm

DRYWALL & CEILINGS - PROFESSIONAL RANGE



FEATURES

- Professional quality medium pile fabric.
- For use on plaster, gypsum & drywall.

USES

- For use on smooth to medium textured surfaces.
- Interior & exterior use.

Code	Description	Units
70/1/043	DRYWALL & CEILINGS	230 mm

PAINT ROLLERS

100% WOOL - PROFESSIONAL RANGE



FEATURES

- Professional, highest quality short pile fabric.
- For use on concrete, plaster, wood & steel.

USES

- For use on very smooth surfaces.
- For the best quality finish with high gloss paints.
- For the finest finish when back-rolling solvent-free epoxy & urethane systems.
- For use with epoxy, urethane, varnish, enamels & oil paints.
- Interior & exterior use.

Code	Description	Units
77/1/003	100% WOOL	230 mm

GENUINE MOHAIR - PROFESSIONAL RANGE



FEATURES

- Professional quality short pile fabric.
- For use on concrete, plaster, wood & steel.

USES

- For use on very smooth surfaces.
- For applying high gloss paints & finishes.
- To back-roll solvent-free epoxy & urethane systems.
- For use with epoxy, urethane, varnish, enamels & oil paints.
- Interior & exterior use.

Code	Description	Units
70/1/113	MOCK MOHAIR	230 mm

MOCK MOHAIR - CONTRACTOR RANGE



FEATURES

- Contractor quality short pile fabric.
- For use on concrete, plaster, wood & steel.

USES

- For use on very smooth surfaces.
- For applying high gloss paints & finishes.
- To back-roll primers, adhesives & glues.
- For use with epoxy, urethane, varnish, enamels & oil paints.
- Interior & exterior use.

Code	Description	Units
77/1/003	MOCK MOHAIR	230 mm

ALL PRIMERS, UNDERCOATS, P.V.A PAINTS - CONTRACTOR RANGE



FEATURES

- Contractor quality medium pile fabric.
- For use on concrete, plaster, wood & steel.

USES

- To apply or back-roll most primers, undercoats & P.V.A paints
- For use on smooth to very smooth surfaces.
- Interior & exterior use.

Code	Description	Units
70/1/073	ALL PRIMERS, UNDERCOATS, P.V.A PAINTS	230 mm

PAINT ROLLERS

FLOOR COATINGS & EPOXY - SPECIALITY RANGE



FEATURES

- Professional quality medium pile fabric.
- Extremely solvent & abrasion resistant fabric.
- For use on concrete, cement & screeds.

USES

- For use on smooth to medium textured surfaces.
- For use with solvent based & water based epoxy, urethanes & fibreglass resin.
- For use with solvent & water based anti-corrosion paints, enamels, varnish & lacquers.
- Interior & exterior use.

Code	Description	Units
70/1/063	FLOOR COATINGS & EPOXY	230 mm
70/1/064	FLOOR COATINGS & EPOXY	400 mm

STEEL & METAL COATINGS - SPECIALITY RANGE



FEATURES

- Contractor quality short pile fabric.
- For use on steel & metal.

USES

- For use on smooth to very smooth surfaces.
- For use with urethane, enamels, lacquers & varnish.
- Interior & exterior use.

Code	Description	Units
70/1/067	STEEL & METAL COATINGS	100 mm

STIPPLE & RIPPLE™ - SPECIALITY RANGE



FEATURES

- Contractor quality solvent resistant coarse foam.
- For use on concrete & plaster surfaces.
- To create textured finishes with textured sand filled paints & ripple finish.

USES

- For use on smooth to semi-smooth surfaces.
- For finishing 6 - 9 mm urethane screeds.
- For use with textured sand filled paints & ripple finish.
- Interior & exterior use.

Code	Description	Units
70/2/001	STIPPLE & RIPPLE™	230 mm

CORRUGATED ZINC - SPECIALITY RANGE



FEATURES

- Contractor quality solvent resistant fine textured foam.
- Corrugated design to follow corrugated zinc profile.

USES

- For use on corrugated zinc surfaces.
- For use on very smooth surfaces.
- Interior & exterior use.

Code	Description	Units
70/2/005	CORRUGATED ZINC	230 mm

PAINT ROLLERS

LOOP - ROLLER™ - SPECIALITY RANGE



FEATURES

- Professional quality blue loop material.
- Apply and create textured finishes with textured and sand filled paints.
- For use on concrete & plaster.

USES

- From semi-smooth to rough surfaces.
- For use on aggregate filled epoxy coatings.
- Interior & exterior use.

Code	Description	Units
70/1/401	LOOP-ROLLER™	230 mm

ROOF PAINT - CONTRACTOR RANGE



FEATURES

- Contractor quality long pile fabric.
- For use on concrete, cement, clay, steel & stone coated steel.

USES

- For use on rough & textured surfaces.
- For use with acrylics, waterproofing products, fibre-glass resins & bitumen.
- For applying bitumen primers & aluminium silver coatings.
- Interior & exterior use.

Code	Description	Units
70/1/078	ROOF PAINT	230 mm

WOOD FINISHES - SPECIALITY RANGE



FEATURES

- Contractor quality short pile fabric.
- For use on wood doors, cupboards, decking, skirtings & more.

USES

- For use on smooth to medium textured surfaces.
- For use with oil and water based lacquer, varnishes, enamels & stains.
- Interior & exterior use.

Code	Description	Units
70/1/054	WOOD FINISHES	150 mm

KITCHENS & BATHROOMS - PROFESSIONAL RANGE



FEATURES

- Contractor quality medium pile fabric.
- For use on concrete, plaster, gypsum plaster & drywall ceilings and walls.

USES

- For use on smooth to medium textured surfaces.
- For use with oil & water based paints and 1 coat paints.
- Interior & exterior use.

Code	Description	Units
70/1/057	KITCHENS & BATHROOMS	230 mm



FEATURES

- 100% natural blonde bristle.
- Natural wooden handle.
- Stainless steel ferrule.

USES

- For applying enamels & lacquer.
- For applying fibreglass and clear resins.
- For applying epoxy, urethanes and floor paints.
- For applying oil based stains & varnish.

Code	Description	Size	Handle	Materials	Units
71/1/012	PAINT BRUSHES - BLONDIE	38 mm	Wood	Bleached Bristle	1
71/1/013	PAINT BRUSHES - BLONDIE	38 mm	Wood	Bleached Bristle	12
71/1/014	PAINT BRUSHES - BLONDIE	50 mm	Wood	Bleached Bristle	1
71/1/015	PAINT BRUSHES - BLONDIE	50 mm	Wood	Bleached Bristle	12
71/1/016	PAINT BRUSHES - BLONDIE	75 mm	Wood	Bleached Bristle	1
71/1/017	PAINT BRUSHES - BLONDIE	75 mm	Wood	Bleached Bristle	12
71/1/018	PAINT BRUSHES - BLONDIE	100 mm	Wood	Bleached Bristle	1
71/1/019	PAINT BRUSHES - BLONDIE	100 mm	Wood	Bleached Bristle	12

PAINT BRUSHES & ROLLERS

ROX® ROLLER HANDLE 400MM



FEATURES

- 400 mm aluminium roller handle for ROX® branded paint roller refills and spike roller refills.

USES

- To be used with all ROX® branded paint and spike roller refills.

Code	Description	Units
70/4/080	ROLLER HANDLE - aluminium	400 mm

ROX® ROLLER HANDLE 230MM



FEATURES

- 230 mm roller handle for all ROX® branded paint roller refills.

USES

- To be used with all ROX® branded paint roller refills.

Code	Description	Units
70/4/004	ROLLER HANDLE	230 mm

ROX® ALUMINIUM FLUTED ROLLERS



FEATURES

- Made from extruded aluminium.
- Available in 3 different sizes.

USES

- For fibreglass laminating and fibreglass systems.
- Used to wet out chop strand matt and remove air bubbles.

Code	Description	Units
70/3/101	FLUTED ROLLER	100mm
70/3/102	FLUTED ROLLER	150mm
70/3/103	FLUTED ROLLER	200mm

ROX® EXTENSION POLES (STEEL)



FEATURES

- Steel extension poles for paint roller handles.
- Diameter - 25 mm thick.

USES

- For use with 230 mm and 400 mm roller handles, spike rollers, epoxy rakes and most other floor application tools.

Code	Description	Size
700/1/036	STEEL EXTENSION POLE- 1 PIECE	1,5 mm x 25 mm
700/1/038	STEEL EXTENSION POLE - 2 PIECE	2.5 mm x 25 mm

RAINSNAKE



FEATURES

- Rainsnake is a two component system designed to reduce streaking on exterior walls, caused by rain and dust.
- Rainsnake is an adhesive applied cord which allows rainwater to run off the opposite side of the parapet wall in one direction only, thereby preventing streaking.

USES

- Place Rainsnake on the edge of the parapet wall on which you & wish to prevent possible streaking.
- Rainsnake should be applied prior to painting.

Code	Description	Units
800/01/076	RAINSNAKE BOX	20 lm
800/04/004	RAINSNAKE ACRYLIC WHITE	1

MASKING TAPE



FEATURES

- General purpose masking tape.
- Rated to 60 degrees.
- Good adhesion to most surfaces.
- Won't leave glue residue behind.

USES

- For masking off areas prior to painting.
- For masking joints before joint sealing.

Code	Description	Size	Length	Units
72/4/010	MASKING TAPE	24 mm	40	Box of 36
72/4/030	MASKING TAPE	36 mm	40	Box of 24
72/4/040	MASKING TAPE	48 mm	40	Box of 20

DUST MASKS



FEATURES

- Dust Mask FFP2.
- Box of 20 units.
- Dual Elastic headbands and moldable nose piece.

USES

- Filters dust particles for safe breathing.
- Filters 94% of dust particles.
- Disposable.

Code	Description	Units
72/5/014	DUST MASKS - FFP2	Box of 20
72/5/015	DUST MASKS - FFP2	Box 20 x 20

COTTON RAGS



FEATURES

- Good quality multi-coloured cotton rags.

USES

- For general purpose cleaning.

Code	Description	Units
700/1/040	COTTON RAGS - MIXED COLOURS	5 kg

FLOORING PADS & APPLICATORS

3M FLOOR PADS



FEATURES

- High quality 3M floor pads.
- Four colour coded pads available.
- The darker the colour the more aggressive the action of the pad.

USES

- Nylon floor pads perform washing, cleaning, stripping and buffing.
- For the maintenance and cleaning of floors.

Code	Description	Size	Length	Units
700/1/042	STRIPPING PAD	425 mm	Black	5 Pack
700/1/043	WASHING PAD	425 mm	Blue	5 Pack
700/1/044	BUFFING PAD	425 mm	Red	5 Pack
700/1/045	BURNISHING PAD	425 mm	White	5 Pack

HAND PADS



FEATURES

- High quality nylon cleaning pads.
- Pad can be used with most solvents.
- Four colour coded pads available.
- The darker the colour the more aggressive the action of the pad.

USES

- Nylon hand pads for stripping, washing, polishing & buffing.

Code	Description	Size	Length	Units
700/1/050	STRIPPING PAD	11 x 7 cm	Black	2 Pack
700/1/051	WASHING PAD	11 x 7 cm	Blue	2 Pack
700/1/052	BUFFING PAD	11 x 7 cm	Red	2 Pack
700/1/053	BURNISHING PAD	11 x 7 cm	White	2 Pack

MAZZLIN TOOLS



FEATURES

- Mineral - oil impregnated micro-fibre cleaning cloth.
- Increases dust pick-up with no lint or residue.

USES

- For daily use as a maintenance tool to remove dust and grit on marble, stone and polished concrete floors.
- Extremely effective for dust and grit removal between coats of epoxy.
- Effective at removing grit between diamond grinding and polishing process.

Code	Description	Size	Units
700/1/037	MAZZLIN TOOL WITHOUT HANDLE	600 mm	1
700/1/038	MAZZLIN CLOTHS		10
700/1/039	MAZZLIN CLOTHS		25

FLOOR SEALING APPLICATOR

FEATURES

- Metal applicator frame - complete with handle.
- Replaceable "lambswool" applicator pads.

USES

- Used to apply sealers, waxes, varnishes & stains to natural stone, tiles, vinyl & wooden floors.
- Can be used for water & solvent based products.

Code	Description	Units
700/1/032	FLOOR SEALING APPLICATOR	300 mm
700/1/033	LAMBSWOOL APPLICATOR PAD	300 mm

KNEE PADS & HARD HATS

ROX® KNEE PADS



FEATURES

- Very comfortable knee pad with inner & outer layers.
- Slip resistant flexible outer cap material. Scratch resistant.
- Two adjustable rubber straps for a comfortable fit.
- Moisture, rot and bacteria resistant (no fabric lining).

USES

- Can be used on hard and rough surfaces.
- For tilers, flooring contractors and landscape gardeners.
- For roofing contractors, plumbers and paving contractors.

Code	Description	Size	Materials
30/8/010	KNEE PADS	One-Size	Rubber

ROX® HARD HATS



FEATURES

- Used to provide limited protection against falling objects & bumps.
- Designed to absorb the energy of an impact.
- Polyprop shell with 6 point suspension.
- SABS approved & compliant.
- SANS 1397 certification.


USES

- One size fits all.
- Made in S.A.

Code	Description	Size	Materials
73/1/010	HARD HAT	One-Size	PP



RAZOR[®] **BLADES**



DIAMOND PRODUCTS

DIAMOND CUTTING BLADES

TURBO CUTTING BLADES - D.I.Y. (COLD PRESSED)

FEATURES

- Turbo blades combine the advantages of segmented & continuous blades.
- Blades provide rapid stock removal with reduced edge chipping.
- Cold pressed, entry level, general purpose quality blade.

USES

- For the cutting of marble, granite, concrete, masonry, bricks and tiles.
- For use with standard angle grinders and joint cutters.



Code	Description	Size
80/1/020	TURBO CUTTING BLADE	115 mm
80/1/120	TURBO CUTTING BLADE	125 mm
80/1/420	TURBO CUTTING BLADE	230 mm

SEGMENTED CUTTING BLADES - D.I.Y. (COLD PRESSED)

FEATURES

- Segmented blades offer the fastest cutting speeds for the lowest cost.
- Blades should be used where the quickest stock removal is required, but cutting quality is less important (chipped edges).
- Cold pressed, entry level, general purpose quality blade.

USES

- For the cutting of concrete, bricks, blocks, roof tiles, paving stones and blocks.
- For use with standard angle grinders and joint cutters.



Code	Description	Size
80/2/020	SEGMENTED CUTTING BLADE	125 mm
80/2/420	SEGMENTED CUTTING BLADE	230 mm

SEGMENTED CUTTING BLADES - CONTRACTOR (HOT PRESSED)

FEATURES

- Segmented blades offer the fastest cutting speeds for the lowest cost.
- Blades should be used where the quickest stock removal is required, but cutting quality is less important (chipped edges).
- Hot pressed, contractor quality blade.
- Offers longer life, faster cutting and lower cost per metre.

USES

- For the cutting of concrete, bricks, blocks, roof tiles, paving stones and blocks.
- For use with standard angle grinders and joint cutters.



Code	Description	Size
80/2/422	SEGMENTED CUTTING BLADE	230 mm


SEGMENTED CUTTING BLADES - PROFESSIONAL (LASER WELDED)

FEATURES

- Segmented blades offer the fastest cutting speeds for the lowest cost.
- Blades should be used where the quickest stock removal is required but cutting quality is less important (chipped edges).
- Laser welded, professional quality blade.
- Offers longest life, faster cutting and lower cost per metre.

USES

- For the cutting of new and existing concrete, asphalt, bricks, blocks, and paving stones.
- For use with power saws and concrete wet saws.



Code	Description	Size
80/7/010	TURBO SEGMENTED BLADE - (BROWN CONCRETE)	350 mm
80/7/020	TURBO SEGMENTED BLADE - (ASPHALT/GREEN CON)	350 mm
80/7/030	TURBO SEGMENTED BLADE - (GREEN CONCRETE)	350 mm

DIAMOND CUTTING BLADES

CONTINUOUS CUTTING BLADES - CONTRACTOR (HOT PRESSED)



FEATURES

- Continuous blades offer the slowest most accurate cutting speeds for the lowest cost.
- Should be used where accurate, smooth and chip free cutting is required.
- Hot pressed, contractor quality blade.
- Offers longer life, faster cutting and lower cost per metre.

USES

- For the cutting of ceramic & porcelain tiles, glass, stone, and precision cutting of marble and granite.
- For use with standard angle grinders and tile saws.

Code	Description	Size
80/6/010	CONTINUOUS CUTTING BLADE	115 mm
80/6/110	CONTINUOUS CUTTING BLADE	200 mm

SPECIALITY BLADES

CRACK CHASING BLADE - PROFESSIONAL



FEATURES

- V-shaped segmented diamond cutting blade.
- For use on a 125 mm angle grinder.
- Should be used with a dust extraction cover.

USES

- Designed specifically for crack chasing in concrete floors.
- Blade is designed to create a V-shaped reservoir to aid filling.
- For use on a 125 mm angle grinder.

Code	Description	Size
81/3/010	CRACK CHASING BLADE	125 mm

TUCK POINT BLADE - CONTRACTOR



FEATURES

- Consists of two fused segmented blades.
- Safer design than stacked blades.

USES

- For the removal of mortar joints between brick work.
- For grout removal between tiles and for cutting wider joints in concrete.
- For use on a 125 mm angle grinder.

Code	Description	Size
81/2/010	TUCK POINT BLADE - DOUBLE SEGMENTED	125 mm

GRINDING CUPS

TURBO SEGMENTED GRINDING CUPS - PROFESSIONAL (SILVER BRAZED)



FEATURES

- Diamond grinding cup - segmented turbo pattern.
- Very fast, aggressive cutting action.
- Segment size - 24 x 8 x 8 mm
- Available for very hard concrete (colour - BLACK).
- Available for soft, abrasive concrete (colour - RED)

USES

- For grinding of concrete and masonry surfaces.
- For the removal of surface coatings, epoxy, glue, mastic, paint and floor coverings.
- 180 mm cups to be used on 180 mm angle grinders.
- 125 mm cups to be used on 125 mm angle grinders.
- 125 mm and 180 mm cups can be used on ROX® Falcon floor grinders.

Code	Description	Size	Length	Grit
88/2/010	AGGRESSIVE GRINDING / COATING REMOVAL	125 mm	Soft	16/18
88/2/030	AGGRESSIVE GRINDING / COATING REMOVAL	125 mm	Hard	16/18
88/3/010	GENERAL GRINDING / SURFACE PREP	125 mm	Soft	30/35
88/3/030	GENERAL GRINDING / SURFACE PREP	125 mm	Hard	30/35
88/4/030	MEDIUM GRINDING / MEDIUM SURFACE PREP	125 mm	Hard	45/50
88/5/020	LIGHT GRINDING FOR THIN COATINGS	125 mm	Hard	60/70
88/2/110	AGGRESSIVE GRINDING / COATING REMOVAL	180 mm	Soft	16/18
88/3/110	GENERAL GRINDING / SURFACE PREP	180 mm	Soft	30/35
88/3/310	GENERAL GRINDING / SURFACE PREP	180 mm	Hard	30/35
88/5/210	LIGHT GRINDING FOR THIN COATINGS	180 mm	Medium	60/70

CONTINUOUS SEGMENTED GRINDING CUPS - PROFESSIONAL (SILVER BRAZED)

No Pic

FEATURES

- Diamond grinding cup - segmented turbo pattern.
- Very fast, aggressive cutting action.
- Available for soft, abrasive concrete (colour - RED)

USES

- For grinding of concrete, masonry and terrazzo surfaces.
- For the removal of surface coatings, epoxy, glue, mastic, paint and floor coverings.
- 150 mm cups to be used on 150mm angle grinders and edge grinders.

Code	Description	Size	Concrete / Stone	Grit
88/5/506	CONTINUOUS GRINDING CUP	150 mm	Soft	30
88/5/515	CONTINUOUS GRINDING CUP	150 mm	Soft	80

CONTINUOUS GRINDING CUPS - CONTRACTOR



FEATURES

- Diamond grinding cup - sintered.
- For smoother and slower grinding.
- Available for medium hardness materials (colour - SILVER).
- Available for very soft, abrasive materials (colour - RED).

USES

- Suitable for marble, stone, epoxy and concrete.
- For shaping & profiling of stone slab edges.
- For removing surface imperfections and light grinding.
- Use on 125 mm angle grinders & variable speed polishers.
- Use on ROX floor grinders for epoxy sanding and light grinding.

Code	Description	Size	Concrete / Stone	Grit
85/5/010	CONTINUOUS GRINDING CUP	105 mm	Soft	50/60
85/6/010	CONTINUOUS GRINDING CUP	105 mm	Soft	80
85/5/020	CONTINUOUS GRINDING CUP	105 mm	Medium	50/60



FEATURES

- Tungsten carbide chunks outlast & are far more effective than silicon carbide wheels.
- They will not clog, load up or smear the coating.
- Great for ripping through abrasive and sticky materials.

USES

- Removing of surface coatings such as mastic, epoxy, paint, glue & rubber.
- Extremely effective for removing plaster, gypsum & mortar on concrete floors.
- Won't damage or gouge structurally sound surfaces during use.
- For use on 125 mm angle grinders and ROX® Falcon floor grinders.

Code	Description	Size	Grit
90/5/010	TUNGSTEN CARBIDE CUP	125 mm	16
95/0/011	TUNGSTEN CARBIDE DISC	75 mm	16

PCD GRINDING CUPS & DISCS

PCD GRINDING CUPS



FEATURES

- Unlike standard diamond grinding discs, PCD's will not clog, load up or smear the coating.
- The PCD segment scrapes and rips the coating from the surface rather than grinding it away.
- PCD segments produce much faster results with less heat build-up and clogging.

USES

- PCD grinding cups are designed for removing surface coatings including urethanes, epoxy, mastics, glues and rubber.
- Extremely effective for the removal of fibreglass linings, pool coatings, waterproofing membranes, carpet and vinyl adhesives.
- For thinner coating removal from 200 microns up to 2 mm thick.

Code	Description	Size
90/4/010	PCD CUP - 18 SMALL PCD 4 X 3 X 3 mm	180 mm

PCD GRINDING CUPS



FEATURES

- Unlike standard diamond grinding disks, PCD's will not clog, load up or smear the coating.
- The PCD segment scrapes and rips the coating from the surface rather than grinding it away.
- PCD segments produce much faster results with less heat build-up and clogging.

USES

- PCD grinding cups are designed for removing surface coatings including urethanes, epoxy, mastics, glues and rubber.
- Extremely effective for the removal of fibreglass linings, pool coatings, waterproofing membranes, carpet and vinyl adhesives.
- For thicker coating removal from 1 mm to 4 mm thick.

Code	Description	Size
90/4/110	PCD CUP - 6 x 1/4 PCD + 6 x TCT ROUNDS	180 mm

SINGLE 1/2 PCD DIAMOND SEGMENTS



FEATURES

- Unlike standard diamond grinding discs, PCD's will not clog, load up or smear the coating.
- The PCD segments scrape and rip the coating from the surface rather than grinding it away.
- PCD segments produce much faster results with less heat build-up and clogging.
- For machines with right rotation.

USES

- PCD grinding discs are designed for removing surface coatings including urethanes, epoxy, mastics, glues and rubber.
- n Extremely effective for the removal of fibreglass linings, pool coatings, waterproofing membranes, carpet and vinyl adhesives.
- For thicker coating removal from 1 mm to 4 mm thick.

Code	Description
95/1/002	SINGLE 1/2 PCD 10 mm - 30 GRIT ROUND

DOUBLE 1/4 PCD DIAMOND SEGMENTS



FEATURES

- Unlike standard diamond grinding discs, PCD's will not clog, load up or smear the coating.
- The PCD segments scrape and rip the coating from the surface rather than grinding it away.
- PCD segments produce much faster results with less heat build-up and clogging.
- For machines with left rotation.

USES

- PCD grinding discs are designed for removing surface coatings including urethanes, epoxy, mastics, glues and rubber.
- Extremely effective for the removal of fibreglass linings, pool coatings, waterproofing membranes, carpet and vinyl adhesives.
- For thicker coating removal from 200 mic up to 2 mm.

Code	Description
95/1/004	DOUBLE 1/4 PCD 10 mm - 30 GRIT ROUND

DIAMOND GRINDING CUPS



FEATURES


- Multiple attachment methods – Velcro backing, 1 central threaded hole and 3 satellite threaded holes.
- Less aggressive scratch pattern due to surface area and design.
- Available in extremely aggressive grits.
- 75 mm x 10 mm thick for long life grinding disc.

USES

- Can be used on floor grinding machines, radial line polishers.
- Used for grinding and shaping stone and concrete surfaces.

Code	Description	Grit	Concrete	Colour
91/5/010	METAL GRINDING DISC	6	Medium	Blue
91/3/011	METAL GRINDING DISC	16	Hard	Black
91/5/011	METAL GRINDING DISC	16	Medium	Blue
91/3/012	METAL GRINDING DISC	30	Hard	Black
91/5/012	METAL GRINDING DISC	30	Medium	Blue
91/7/012	METAL GRINDING DISC	30	Soft	Red
91/3/013	METAL GRINDING DISC	50	Hard	Black
91/5/013	METAL GRINDING DISC	50	Medium	Blue
91/7/013	METAL GRINDING DISC	50	Soft	Red
91/5/016	METAL GRINDING DISC	120	Medium	Blue
91/5/018	METAL GRINDING DISC	220	Medium	Blue

DIAMOND GRINDING PLATE - 250 MM



FEATURES

- For single head 250 mm floor grinders.
- Medium bond for general purpose grinding.
- For use on concrete & stone.
- 40 x 10 x 10 mm segments for longer life.

USES

- Used to grind concrete, screeds & asphalt.
- Used for surface prep, coating & paint & glue removal.
- Used to reduce high spots & flatten floors.

Code	Description	Grit	Concrete	Colour
92/7/011	DIAMOND GRINDING PLATE - 250 MM	30	Medium	Blue

DIAMOND GRINDING WEDGE (ERRUT BLOCK)



FEATURES

- Enlarged, value for money diamond segments.
- Diamond wedges cut far quicker and last much longer than standard silicon carbide errut blocks and smaller diamond segments.
- Generally sold in sets of 3.
- 40 x 10 x 10 mm segments for extra life.

USES

- Used for grinding concrete surfaces and floors.
- Designed to fit all standard errut floor grinding machines.

Code	Description	Grit	Concrete	Colour
92/4/014	DIAMOND GRINDING WEDGE	50	Medium	Orange

DIAMOND GRINDING CUPS

EZZEE™ ATTACH 2 X RECTANGULAR SEGMENTS (METAL BOND)



FEATURES

- Contractor quality for fast and efficient results.
- Designed for dry concrete polishing.
- Colour coded metal backing for easy identification.
- 40 x 12 x 12 mm segments for extra life.

USES

- Designed for grinding concrete - terrazzo, granite, marble & travertine.
- Can be used on both light and heavy floor grinding machines.

Code	Description	Grit	Concrete	Colour
81/4/180	METAL GRINDING SEGMENT	30	Hard	Black
81/4/181	METAL GRINDING SEGMENT	50	Hard	Black
81/4/182	METAL GRINDING SEGMENT	100	Hard	Black
81/4/210	METAL GRINDING SEGMENT	30	Medium	Blue
81/4/211	METAL GRINDING SEGMENT	50	Medium	Blue
81/4/212	METAL GRINDING SEGMENT	100	Medium	Blue
81/4/310	METAL GRINDING SEGMENT	30	Soft	Red
81/4/311	METAL GRINDING SEGMENT	50	Soft	Red
81/4/312	METAL GRINDING SEGMENT	100	Soft	Red

EZZEE™ ATTACH 2 X RECTANGULAR SEGMENTS (METAL BOND)



FEATURES

- Contractor quality for fast and efficient results.
- Designed for dry concrete polishing.
- Colour coded metal backing for easy identification.
- 40 x 12 x 12 mm segments for extra life.

USES

- Designed for grinding concrete - terrazzo, granite, marble & travertine.
- Can be used on both light and heavy floor grinding machines.

Code	Description	Grit	Concrete	Colour
81/5/180	METAL GRINDING SEGMENT	30	Hard	Black
81/5/181	METAL GRINDING SEGMENT	50	Hard	Black
81/5/182	METAL GRINDING SEGMENT	100	Hard	Black
81/5/210	METAL GRINDING SEGMENT	30	Medium	Blue
81/5/211	METAL GRINDING SEGMENT	50	Medium	Blue
81/5/212	METAL GRINDING SEGMENT	100	Medium	Blue
81/5/310	METAL GRINDING SEGMENT	30	Soft	Red
81/5/311	METAL GRINDING SEGMENT	50	Soft	Red
81/5/312	METAL GRINDING SEGMENT	100	Soft	Red

TRAPEZOID 2 X RECTANGULAR SEGMENTS (METAL BOND)



FEATURES

- Fits any standard 3-hole configured adaptor plate.
- 3 threaded holes.
- 40 x 10 x 10 mm segments for longer life.

USES

- Use on any floor grinder or concrete grinder with a suitable adaptor plate.
- Used on all floor grinders with magnetic or non-magnetic adaptor plates.
- For the grinding & polishing of concrete & terrazzo floors.

Code	Description	Grit	Concrete	Colour
93/1/010	METAL GRINDING SEGMENT	6	XX - Hard	Gold
93/1/012	METAL GRINDING SEGMENT	30	XX - Hard	Gold
93/1/180	METAL GRINDING SEGMENT	30	Hard	Black
93/1/181	METAL GRINDING SEGMENT	50	Hard	Black
93/1/182	METAL GRINDING SEGMENT	100	Hard	Black
93/1/210	METAL GRINDING SEGMENT	30	Medium	Blue
93/1/211	METAL GRINDING SEGMENT	50	Medium	Blue
93/1/212	METAL GRINDING SEGMENT	100	Medium	Blue
93/1/310	METAL GRINDING SEGMENT	30	Soft	Red
93/1/311	METAL GRINDING SEGMENT	50	Soft	Red
93/1/312	METAL GRINDING SEGMENT	100	Soft	Red

DIAMOND GRINDING CUPS

EZZEE™ ATTACH 2 X RECTANGULAR SEGMENTS (METAL BOND)



Picture for machine identification only.
Plate conversions available.

FEATURES

- Contractor quality for fast and efficient results.
- Designed for dry polishing & grinding concrete.
- Metal bond diamond pads for stock removal and stone exposure.
- Colour coded metal backing for easy identification.
- 40 x 12 x 12 segments for extra life.

USES

- Designed for grinding concrete - terrazzo, granite, marble & travertine.
- Can be used on both light and heavy floor grinding machines.

Code	Description	Grit	Concrete	Colour
81/3/180	METAL GRINDING SEGMENT	30	Hard	Black
81/3/181	METAL GRINDING SEGMENT	50	Hard	Black
81/3/182	METAL GRINDING SEGMENT	100	Hard	Black
81/3/210	METAL GRINDING SEGMENT	30	Medium	Blue
81/3/211	METAL GRINDING SEGMENT	50	Medium	Blue
81/3/212	METAL GRINDING SEGMENT	100	Medium	Blue
81/3/310	METAL GRINDING SEGMENT	30	Soft	Red
81/3/311	METAL GRINDING SEGMENT	50	Soft	Red
81/3/312	METAL GRINDING SEGMENT	100	Soft	Red

COLOUR CODING FOR METAL BOND SEGMENTS

	Concrete	Code	Colour
1	EXTRA, EXTRA SOFT CONCRETE	XXSC	WHITE
2	EXTRA SOFT CONCRETE	XSC	WHITE
3	SOFT / ABRASIVE CONCRETE	SC	RED
4	SOFT / MEDIUM CONCRETE	SMC	PURPLE
5	MEDIUM CONCRETE	MC	BLUE
6	MEDIUM / HARD CONCRETE	HMC	BROWN
7	HARD CONCRETE	HC	BLACK
8	EXTRA HARD CONCRETE	XHC	GOLD
9	EXTRA, EXTRA HARD CONCRETE	XXHC	GOLD

DIAMOND POLISHING PADS - CONCRETE

CERAMIC TRANSITION PADS (CONCRETE)



FEATURES

- Ceramic transition pads remove the heavy scratch pattern of metal bond discs and allow for easy transition to the resin bond pads.
- Ceramic transition pads are the most heat tolerant of all the hybrids.

USES

- Ceramic pads to be used between metal bond and resin bond grinding pads.
- Use between 50 grit metal and 200 grit resin.
- **Use wet or dry.**

Code	Description	Size	Grit
91/5/010	METAL GRINDING DISC	75 mm x 10 mm	100

HYBRID – COPPER / RESIN POLISHING PADS (CONCRETE)



FEATURES

- Copper / resin hybrids are designed as transition pads between metal bond disc and resin bond pads, producing a lighter scratch pattern.
- Velcro backed - 10 mm thickness provides longer life.

USES

- Use between 100 grit ceramics and 400 grit resin polishing pads.
- Use between 200 grit metal bond discs and 400 grit resin bond polishing pads.
- Can be used on both heavy and light floor grinding machines on concrete, terrazzo or stone.
- **Use wet or dry.**

Code	Description	Size	Grit
96/0/015	COPPER / RESIN HYBRID	75 mm x 10 mm	100

RESIN POLISHING PADS (CONCRETE)



FEATURES

- Contractor quality for fast and efficient results.
- Designed for dry concrete polishing.
- Resin diamond pads produce the highest shine and clarity.
- Velcro backed - 10mm thickness provides longer life.

USES

- Designed specifically for polishing concrete.
- Can be used on both light and heavy concrete floor grinding machines.
- **Use wet or dry.**

Code	Description	Size	Grit
98/0/013	RESIN POLISHING PAD	75 mm x 10 mm	50
98/0/015	RESIN POLISHING PAD	75 mm x 10 mm	100
98/0/017	RESIN POLISHING PAD	75 mm x 10 mm	200
98/0/019	RESIN POLISHING PAD	75 mm x 10 mm	400
98/0/020	RESIN POLISHING PAD	75 mm x 10 mm	800
98/0/022	RESIN POLISHING PAD	75 mm x 10 mm	1500
98/0/025	RESIN POLISHING PAD	75 mm x 10 mm	3000

RESIN POLISHING PADS (CONCRETE)



FEATURES

- Contractor quality for fast and efficient results at the lowest price.
- Best value for money option at 6 mm thick.
- Colour resin pads for dry concrete polishing.
- Colour coded Velcro backing allows for easy identification.

USES

- For polishing concrete surfaces and floors.
- Ideal for polishing both concrete floors and countertops.
- **Use dry only.**

Code	Description	Size	Grit
98/0/102	RESIN POLISHING PAD	100 mm x 6 mm	30
98/0/103	RESIN POLISHING PAD	100 mm x 6 mm	50
98/0/106	RESIN POLISHING PAD	100 mm x 6 mm	100
98/0/108	RESIN POLISHING PAD	100 mm x 6 mm	200
98/0/109	RESIN POLISHING PAD	100 mm x 6 mm	400
98/0/110	RESIN POLISHING PAD	100 mm x 6 mm	800

DIAMOND POLISHING PADS - STONE

WHITE RESIN POLISHING PADS (STONE) - ECO



FEATURES

- Eco quality for fast and efficient results at a budget price.
- Lowest cost per pad option for white resin pads.
- White non-marking resin for no colour transfer on light surfaces.
- Flexible design allows for contouring and edge work.
- Colour coded Velcro backing allows for easy identification.

USES

- For polishing marble, travertine, terrazzo, granite and engineered stone.
- Ideal for polishing both floors and countertops.
- **Use wet only.**

Code	Description	Size	Grit
99/2/013	RESIN POLISHING PADS	100 mm x 3 mm	50
99/2/015	RESIN POLISHING PADS	100 mm x 3 mm	100
99/2/017	RESIN POLISHING PADS	100 mm x 3 mm	200
99/2/019	RESIN POLISHING PADS	100 mm x 3 mm	400
99/2/020	RESIN POLISHING PADS	100 mm x 3 mm	800
99/2/021	RESIN POLISHING PADS	100 mm x 3 mm	1500
99/2/022	RESIN POLISHING PADS	100 mm x 3 mm	3000
99/2/023	RESIN POLISHING PADS	100 mm x 3 mm	Buff

WHITE RESIN POLISHING PADS (STONE & CONCRETE) - CONTRACTOR



FEATURES

- Contractor quality for fast and efficient results at a mid-point price.
- Good value for money option.
- White non-marking resin for no colour transfer on light surfaces.
- Flexible design allows for contouring and edge work.
- Colour coded Velcro backing allows for easy identification.

USES

- For polishing concrete, marble, travertine, terrazzo and granite.
- Ideal for polishing both floors and engineered stone countertops.
- **Use wet only.**

Code	Description	Size	Grit
99/2/032	RESIN POLISHING PADS	100 mm x 3 mm	50
99/2/034	RESIN POLISHING PADS	100 mm x 3 mm	100
99/2/036	RESIN POLISHING PADS	100 mm x 3 mm	200
99/2/038	RESIN POLISHING PADS	100 mm x 3 mm	400
99/2/040	RESIN POLISHING PADS	100 mm x 3 mm	800
99/2/041	RESIN POLISHING PADS	100 mm x 3 mm	1500
99/2/042	RESIN POLISHING PADS	100 mm x 3 mm	3000
99/2/043	RESIN POLISHING PADS	100 mm x 3 mm	Buff

WHITE RESIN POLISHING PADS (STONE & CONCRETE) - PROFESSIONAL



FEATURES

- Professional quality for the fastest and best results.
- Best value for money option, in terms of production speed & results.
- White non-marking resin for no colour transfer on light surfaces.
- Flexible design allows for contouring and edge work.
- Colour coded Velcro backing allows for easy identification.

USES

- For polishing concrete, marble, travertine, terrazzo and granite.
- Ideal for polishing both floors and engineered stone countertops.
- **Use wet only.**

Code	Description	Size	Grit
99/2/052	RESIN POLISHING PADS	100 mm x 3 mm	50
99/2/054	RESIN POLISHING PADS	100 mm x 3 mm	100
99/2/056	RESIN POLISHING PADS	100 mm x 3 mm	200
99/2/058	RESIN POLISHING PADS	100 mm x 3 mm	400
99/2/060	RESIN POLISHING PADS	100 mm x 3 mm	800
99/2/061	RESIN POLISHING PADS	100 mm x 3 mm	1500
99/2/062	RESIN POLISHING PADS	100 mm x 3 mm	3000
99/2/063	RESIN POLISHING PADS	100 mm x 3 mm	Buff

DIAMOND POLISHING PADS - STONE

ELECTROPLATED POLISHING PAD (STONE)



FEATURES

- Ideal for stone floors with lippage.
- Will not shatter or chip the stone edges like conventional grinding pads.
- Rides and bevels the tile lippage.

USES

- Use wet on stone for profiling and grinding prior to polishing with resin bond diamond pads.
- Can be used on stone, concrete and wood.
- Can be used on both floor and hand held polishing or sanding machines.
- **Use wet or dry.**

Code	Description	Size	Grit
99/3/010	ELECTROPLATED POLISHING PAD	75 mm	400
99/3/011	ELECTROPLATED POLISHING PAD	75 mm	800

RAZOR® DIAMOND IMPREGNATED POLISHING PADS (CONCRETE & STONE)



FEATURES

- Razor® Polishing pads are premium quality diamond coated nylon polishing pads, ensuring quicker, better results & longer life.
- 1 - for first stage coating and scratch removal.
- 2 - for very light scratch removal, deep cleaning and preparation for polishing.
- 3 - for a high shine on stone and concrete floors.
- 4 - for maximum shine and maintenance of polished concrete and stone floors.

USES

- Can be used on concrete, marble, terrazzo and stone.
- Can be used as the final polishing stage with or without polishing powder on concrete and stone.
- Can be used dry on a daily basis to maintain or improve the existing surface shine.
- **Best results achieved when used wet.**
- **Use wet or dry.**

Code	Description	Size	Grit
99/3/101	DIAMOND IMPREGNATED PADS (SCRATCH REMOVAL)	430 mm	1
99/3/102	DIAMOND IMPREGNATED PADS (1ST STAGE POLISH)	430 mm	2
99/3/103	DIAMOND IMPREGNATED PADS (2ND STAGE POLISH)	430 mm	3
99/3/104	DIAMOND IMPREGNATED PADS (FINAL STAGE BUFF)	430 mm	4



BACKING PADS & ADAPTOR PLATES

BACKING PAD (ALUMINIUM)



FEATURES

- Solid aluminium backing pad with Velcro attachment.
- Standard M14 thread.
- 100 MM diameter for standard 100 mm diamond polishing pad.

USES

- Use on surfaces that are flat where flex is not desired.
- Flooring - use when a flat cut surface is required.

Code	Description	Size
10/9/901	ALUMINIUM BACKING PAD	100 mm x M14

BACKING PAD (RUBBER)



FEATURES

- Flexible rubber backing pad with Velcro attachment.
- Standard M14 thread.
- 100 MM diameter for standard 100 mm diamond polishing pad.

USES

- Use on curved surfaces or surfaces that require contouring.
- Flooring - use when wanting to follow the existing contours.

Code	Description	Size
10/9/902	RUBBER BACKING PAD	100 mm x M14

EZEE™ ATTACH ADAPTOR PLATES (3-HOLE)



FEATURES

- Contoured steel adaptor plate with 3-hole configuration.

USES

- To attach 3-hole metal bond diamond grinding discs.

Code	Description
10/9/906	EZEE™ ATTACH ADAPTOR PLATE

EZEE™ ATTACH ADAPTOR PLATES (VELCRO BACKING)



FEATURES

- Contoured steel adaptor plate with Velcro attachment for all
- 75 – 80 mm resin bonded Velcro backed diamond polishing pads.

USES

- To attach all Velcro backed diamond polishing and grinding pads.

Code	Description
10/9/908	EZEE™ ATTACH ADAPTOR PLATE

EZEE™ ATTACH ADAPTOR PLATES (VELCRO BACKING)



FEATURES

- Wedge-shaped steel adaptor plate with Velcro attachment for all
- 75-80 mm resin bonded Velcro backed diamond polishing pads.

USES

- To attach all Velcro backed diamond polishing and grinding pads.

Code	Description
10/9/909	EZEE™ ATTACH ADAPTOR PLATE

PARTNERING WITH YOU

Backup & Support:

- Strong brand equity within our market segments.
- Technical expertise in terms of design and manufacture.
- Modern and clean packaging, displays and labels.
- All products labelled, bar coded and numbered for easy ordering & distribution.
- Stock availability with a 95% fill rate.
- Fast and efficient logistics and deliveries, nationally and internationally.
- Ongoing training and support.
- Customised marketing and sales materials.
- Expert merchandising with display stands available to order.
- In-house repair centre.



Diversified Markets & Risk:

- A product range for both retail and wholesale markets.
- Room for national, regional and local agents and distributors.
- High volume and high value product mix.
- Multiple markets and multiple segments within the construction industry.
- Catering for both the new works and renovation markets.



OUR PARTNER REQUIREMENTS

Existing Distributors

- We are in it for the long term, so well established and successful businesses make for good long- term partners.
- It is much easier to successfully implement a business plan and strategy you already understand.
- Existing qualified staff facilitate easier transformation and success.
- Existing business premises and structures allow you to focus on your core business – Distribution and Sales.

Experience

- Nothing beats experience – so experience counts towards a successful partnership.
- Expertise in selling our kind of products.
- An existing client base and successful sales track record.
- Being a world class marketing and sales executive.

Business Values

- Most importantly we require partners with honesty, integrity and business ethics.
- Partners with passion, drive, focus and commitment.
- Long term goals and vision.



No Minimum Order Quantity

- Less shelf and storage space required.
- Less capital outlay.
- Less inventory to manage and count.
- Regular deliveries available.
- Stock availability so you won't run out.
- Large product range to amortise costs



Your 1-Stop Shop

- Our unique and specialised range of products available to you under one roof.
- Our high quality, customised, fit for purpose range of products – tried and tested with decades of practical on – site experience.
- Increased business and profits due to limited competition.
- Save time sourcing, designing, labelling and testing.
- No restrictive minimum order quantities.

Your 1-Stop Shop

- Wholesalers to retail
- Wholesalers to the trade
- On-line retailers
- Chain stores
- Hardware stores
- Speciality paint manufacturers and stores
- Epoxy manufacturers and distributors
- Tile stores
- Speciality flooring stores
- Speciality drywalling stores



Product Packaging & Design

- At FLOORSHQ™ we have decades of hands-on practical field experience, so we design and test everything in-house: -
- Products
- Packaging
- Labels
- Operating Systems
- Method Statements
- Training Manuals
- “How to” booklets
- Conveying the brands message.
- We understand the importance of high quality and informative packaging and labels.
- Allowing consumers to make easy and informed choices.
- Making the required differentiation between products.
- Eliminating the need for training and specialised staff.
- Easy display and packing.



Value for Money

- At FLOORSHQ™ we strive to produce the best quality tools and products at the best possible price to provide the best value products and offerings available.
- We therefore manufacture various products in various locations to optimise value.
- **We manufacture in: -**
- South Africa
- Europe
- Asia



Retail Display



Construction Display



Tiling Display



Soft Flooring Display




Drywalling Display



Building Display



Epoxy Display



Concrete & Plaster Display



Notes

[illegible]



The information in this catalogue contains copyrighted material and is for the sole use of FLOORSHQ™ customers only, and may not be duplicated in any form without consent. Any duplicated material can only be used for personal, non- commercial use. All Trademarks including brand names and product names, are included as reference only and are acknowledged to be trademarks or registered trademarks of their respective owners. Any unauthorised use of photographs and maps is strictly prohibited under copyright law. Although every effort has been made to verify accuracy of the information herein, FLOORSHQ™ liability for errors, and/or omissions is limited. We cannot be responsible for incidental, indirect or consequential costs incurred.

FLOORSHQ™ reserves the right to limit quantities, adjust pricing, and remove items as availability and/or market conditions deem necessary.

FLOORSHQ™ reserves the right to make changes in product look, design & specification without prior notice.

Under no circumstances shall FLOORSHQ™ accept any liability for damage, direct or consequential, arising from any use or misuse of our products. Always test first. No warranties express or implied, including those of merchantability or fitness for particular purpose extend beyond the description on this label. Determining suitability of product shall be the sole responsibility of the user.

All dimensions shown are approximate.

Product images are for illustrative purposes only & may not represent the actual product look or design.



Flooring Tools & Solutions™



A WORLD OF POSSIBILITIES

**40 - 15TH Street
Marlboro Gardens
Sandton, 2154
Johannesburg, South Africa**

**Tel: +27 11 444 1222
Fax: +27 11 444 6666
Email: info@stoneshield.co.za
sales@floorshq.co.za**

www.floorshq.com